

2024 Base Price & Option List

Purchaser	La Grande Motte 2024 Demo	#109 / B9019	GBP	
English	STANDARD BOAT PER STANDARD BOAT EQUIPMENT LIST		220v	669 000
	DESTINATION		St Raphael, South of France	
	NUMBER OF CABINS		3	
INTERIOR				
B9-1005	Upholstery Pack 3 – Sunbrella “Pebble”	233	x	233
B9-1008	Carpets in cabins and corridors – 3 cabin layout. Excludes saloon and galley areas	2 104	x	OFFERED
B9-1301	Full length mirrors for 3-Cabin Layout (3)	1 055	x	1 055
B9-1600	Interior saloon blinds - front & side windows	5 929	x	5 929
B9-1760	Coffee table in lieu of standard folding saloon table	0	x	0
ENGINES & DRIVE				
B9-2001	Yanmar 370hp engines in lieu of std 250hp engines	18 889	x	18 889
B9-2500	Bow thruster - Fix tunnel thruster in port bow	12 580	x	12 580
NAVIGATION & ELECTRONICS				
B9-3200	Marine Stereo. Includes Wifi and Bluetooth connectivity. Speakers in saloon (2), aft cockpit (2), fwd. cockpit (2) & flybridge (2). Wired remote controls in fwd cockpit (1), aft cockpit (1) & flybridge (1). – Note: Raymarine MFD’s (not included in option) & personal wireless devices (only if connected wirelessly to Raymarine MFD via the Raymarine APP) can control system	4 328	x	4 328
B9-3304	Raymarine Base Pack: Includes Raymarine VHF (Multizone with AIS receiver) at internal helm & additional VHF handset at flybridge helm, p70Rs autopilot display at internal and p70s autopilot display at flybridge helm, 2 x AXIOM12 Multifunction display in lieu of AXIOM7 Multifunction display at Helmstation. With retractable depth transducer	16 022	x	16 022
B9-3313	AXIOM12 Multifunction display at internal helm. Requires Base Pack. Not to be ordered with B9-3346 (B9-	5 739	x	5 739
B9-3370	Rear-view Raymarine camera (1) (Requires base pack)	997	x	997
B9-3371	Fwd facing Raymarine camera (1) with Augmented RealityFwd facing Raymarine camera (1) with Augmented Reality function including AR200 GPS (Requires base pack) in lieu of base pack GPS	1 506	x	1 506
B9-3381	Raymarine Automatic Identification System with AIS Transceiver. (Requires Base Pack)	2 813	x	2 813
ELECTRICAL				
B9-4110	220V Shore Power Pack: Includes 2 x 16A port and 2 x 16A stbd shore power inlets with 2 x heavy duty 50ft shore powerlines, AC switch panel, HWC 220V conversion, Battery management system allowing monitoring on Multifunction displav. AC outlets in cabins, saloon, gallev and nav station	9 553	x	9 553
B9-4140	Digital Switching (220V boats). Includes 2 x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems. Monitoring of all Batteries, all fluid levels, and critical Alarms. (Requires Base Pack).	11 461	x	11 461
B9-4210	Shaver outlets in heads, combination 220V/110V with transformer current protection—(2) (Only for boats with 220V systems)	781	x	781
B9-4317	Inverter/Battery Charger: 12V - 220V/5.0KW inverter with 200A charge rate, including remote operation panel. (Only for boats with shore power (B9-4110) or genset options (B9-5200/B9-5210) - recommended with option B9-4525, B9-4530 or B9-4560	9 653	x	9 653
B9-4500	Upgrade std Lead Acid house & engine batteries to AGM batteries	1 493	x	1 493
B9-4525	Four additional AGM house battery (210 Ahr) - 6 Total	4 274	x	4 274
B9-4550	Link engine starter batteries to house batteries. Operated from Multifunction display at helm (Not to be ordered with option B9-5750)	224	x	224
B9-5200	Genset - Northern Lights 6kW (60 Hz 110V) / 5kW (50Hz 220V) supplied from port fuel tank, fuel transfer ability from stbd to port tank. Only for boats with shore power (B9-4100/B9-4110) options	25 857	x	25 857
B9-5255	Air-conditioning System - (2) 16 000 BTU 220V with sound enclosures, soft start technology and control panels. Only for boats with shore power (B9-4110) or genset options (B9-5200/10).	20 886	x	20 886
B9-5670	Provision for TV in Saloon - swing bracket & AC outlet	489	x	489
B9-5680	Provision for TV in owner's cabin (3-cabin layout only) - swing bracket & AC outlet	489	x	489
B9-5740	Solar panels 400w each fitted to hard top - (4)	11 106	x	OFFERED
B9-5800	Underwater Lights - 2 x Blue mounted in stern	4 313	x	OFFERED
PLUMBING				
B9-6150	Electric Toilets - Salt and Fresh water flush: Sanimarin in lieu of manual salt water flushing toilets for 3 cabin layout - (2)	2 771	x	2 771
B9-6515	Sea water inlet seacock with hose led above the waterline (for future watermaker installation)	470	x	470
B9-6710	220V Dishwasher in Galley (Only for boats with 220V systems)	3 516	x	3 516
B9-6800	Deck wash fitting & pump - triple wash - dual fresh/salt water system on foredeck and fresh water outlets on flybridge and in aft cockpit	1 144	x	1 144
HEATING, REFRIGERATION & GAS				
B9-7712	Refrigerator in Flybridge Wetbar - 12V - 62L	1 917	x	1 917
B9-7728	Convection Oven and Two Plate Electric Induction Cooktop (220V) in lieu of complete LPG System. Must be ordered with B9-4317. Not to be ordered with option B9-7715/B9-7720/B9-7725/B9-7726/B9-7727	1 211	x	1 211
B9-7731	Electric Grill: 220V on Flybridge Wetbar. Connect to shore power or genset. Only for boats with shore power option (B9-4110) or genset options (B9-5200/B9-5210). Not to be ordered with option B9-7730/B9-7732/B9-7733	1 690	x	1 690
DECK & HULL				
B9-8110	Flybridge enclosure front and sides only with aft sunshade curtain	10 676	x	10 676
B9-8120	Aft cockpit side and back shade curtains	1 492	x	1 492
B9-8315	Foredeck Cushions	4 482	x	4 482
B9-8360	S/S Flag pole holder (2)	458	x	458
B9-8370	S/S Rod holder (4)	918	x	918
B9-8600	Custom S/S davit system with tackle c/w electric winch	5 655	x	5 655
B9-8800	Teak aft cockpit table in lieu of standard GRP table	4 866	x	OFFERED
B9-8810	Teak flybridge table in lieu of standard GRP table	4 637	x	OFFERED
B9-8901	Composite teak decking (Colour - Weathered with White Caulking): aft cockpit, transom steps & flybridge	24 217	x	24 217
GENERAL EQUIPMENT				

B9-9905	44lb (20kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain	2 123	x	2 123
B9-9914	230ft (70m) anchor chain in lieu of 165ft (50m) chain	515	x	515
B9-9918	Anchor bridle, shackles and hook	468	x	468
B9-9930	Black fenders (6), black mooring lines (4, 16mm x 10m), black spring lines (2, 16mm x 15m)	878	x	878

#### COMMISSIONING & DELIVERY

B9-9950	Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbour, launching, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate CE Safety Package including 8 man life raft, U-bolts and tie downs	16 415	x	16 415
	Post delivery commissioning	4 863	x	4 863
	Freight Delivery *	7 731	x	7 731
	La Grande Motte Boat Show Demo	39 506	x	39 506
	TV in Main Saloon (Dealer installed)	INCLUDED	x	INCLUDED
	TV in Owner's Cabin (Dealer installed)	INCLUDED	x	INCLUDED

GBP

<b>Total Options</b>	<b>288 367</b>
<b>Total Purchase Price (ex-tax)</b>	<b>957 367</b>

**Exceptional Rebate** **208 367**

**Total Purchase Price after Rebate (ex-tax)** **749 000**

Purchaser \_\_\_\_\_ Date \_\_\_\_\_

Purchaser \_\_\_\_\_ Date \_\_\_\_\_

Dealer \_\_\_\_\_ Date \_\_\_\_\_

*\*In-water delivery requires electronics and safety equipment (including life-raft) - Freight is an estimation only and can be a combination of freighter + water delivery  
Prices, standard equipment and options are subject to change without notice - All Sales are subject to signed Purchase & Sales Agreement and Deposit  
Any modification to the Option List is to be mutually agreed in writing and may result in additional fees - Most recent signed Option List supersedes all previous versions  
Cape Town Deliveries require the Boat to leave South African waters within 90 days from the hand-over Date of the Boat from Robertson & Caine to the Dealer.  
Failure to do so will result in Buyer to pay an extra 3% of the selling price of the Boat plus South African VAT*

## MAIN SPECIFICATIONS

Length overall.....	40' / 12.19m
Length Waterline.....	39'7" / 12.07m
Beam max.....	21'8" / 6.61m
Draft (half load).....	3'7" / 1.10m
Bridgedeck Clearance (half load).....	2'4" / 0.70m
Overall Height above Water Line, excluding Antenna (Half load).....	18'5" / 5.61m
Saloon Living Area.....	172.8sqft / 16sqm
Displacement (Light ship).....	30,488lbs / 13,829kg
Load carrying capacity.....	12,410lbs / 5,629kg
Fresh water capacity.....	169gal / 640l
Fuel capacity.....	370gal / 1400l
Holding tank capacity.....	42gal / 160l
Standard Engine.....	Yanmar 4LV250
Engine Max Power.....	250hp
Engine Number of Cylinders.....	4

Note: Speed and range figures can vary depending on measurement conditions and fuel quality.

## STANDARD BOAT EQUIPMENT LIST (PRELIMINARY)

### **SALOON**

Laminate finish  
Wear resistant laminate flooring  
Folding saloon table with two fixed legs  
LED overhead lighting  
Forward doorway access to foredeck  
Settee - L - shape on port side  
Internal Helm  
Full length settee on starboard side  
Access to aft cockpit through sliding door

### **GALLEY**

Staron galley worktop surfaces  
Single lever mixer faucet with pull-out sprayer  
Single s/s sink  
Dish and cutlery drying recess with drainage  
Cover for drying recess  
Domestic refrigerator  
3-burner gas hob  
Gas oven  
Gas solenoid shut-off valve with control at switch panel & warning light at cooker  
Gas cylinder regulator in dedicated foredeck LPG locker  
Separate garbage bin locker  
Stowage space in shelf lockers  
Stowage space under floorboards  
3 x Drawers  
Outboard galley shelf with provision for microwave  
Smoke detector / alarm  
LPG Detector/alarm

### **INTERNAL HELM**

Internal Helm Console - Includes steering and engine controls  
LED overhead lighting  
Helm seat c/w backrest

### **PORT FORWARD & AFT CABIN**

Laminate finish with solid wood trims  
Wear resistant laminate flooring  
Double berths:  
Forward Cabin - Queen (1.5m x 2.0m or 4'11" x 6'7")  
Aft Cabin - Olympic Queen (1.6m x 2.00m or 5'5" x 6'7")  
Hanging locker with lower shelf  
LED overhead lighting  
2 x LED reading lamps in each cabin  
Large open shelves  
2 x Stowage drawers under bunk in forward cabin only  
1 x Stowage drawer under bunk in aft cabin only  
Large hull window incorporating portlight with slatted blind  
Carbon monoxide detector / alarm

### **STARBOARD OWNER CABIN**

Laminate finish with solid wood trims  
Wear resistant laminate flooring  
Mattress Olympic Queen (1.6m x 2.00m or 4'11" x 6'6")

1 x Full height hanging locker  
1 x Full height shelf locker  
Vanity table/desk with storage locker under lid  
Fold up vanity mirror  
Drawer unit with 4 x drawers  
Sliding entrance door with lock  
LED overhead lighting  
2 x LED reading lamps over bunk  
Carbon monoxide detector / alarm

#### **PORT HEAD**

Washbasins with basin mixer and Staron counter  
Under-basin locker with toilet roll holder  
Vanity locker with mirror  
Double towel rail  
Sliding heads door  
Dedicated trashcan locker  
Shower compartment c/w lever mixer and adjustable shower rose  
Shower sump with automatic drainage system  
Overhead LED lighting  
Large bowl manual toilet

#### **OWNER CABIN HEAD**

Washbasins with basin mixer and Staron counter  
Under-basin locker with toilet roll holder  
Vanity locker with mirror  
Double towel rail  
Sliding heads door  
Dedicated trashcan locker  
Shower compartment c/w lever mixer and adjustable shower rose  
Shower sump with automatic drainage system  
Overhead LED lighting  
Large bowl manual toilet

#### **ENGINE & CONTROLS**

Electronic double lever throttle / gearshift control  
Sound deadening panels in engine room  
2 x Engine room ventilation fans and ducting  
2 x Yanmar 250hp diesel engines  
2 x Propellers - 4 -blade fixed  
2 x Fuel deck fillers  
2 x Fuel filter / water separators  
2 x Fuel tanks 370USgal /1400Ltr total capacity  
2 x Exhaust skin fittings (s/s)  
2 x Exhaust water locks  
2 x Cooling water inlet strainers  
2 x Exhaust cooling water temperature sensors with audible alarms at helm

#### **DECK FITTINGS**

Guard railing (s/s)  
2 x Pushpits (s/s)  
2 x Pulpit seats (port & stbd)  
1600w vertical windlass 10mm gypsy and capstan c/w hand-held remote  
Anchor bow roller fitting for primary anchor  
Anchor bow roller fitting for secondary anchor  
Anchor chain stopper  
1 x Chain locker  
1 x Anchor/windlass locker  
3 x Foredeck lockers  
Gas cylinder locker  
Sliding companionway door  
Hardtop over aft cockpit  
Settee in aft cockpit with cushions and bolster  
Table in aft cockpit  
2 x Folding deck chairs  
Swimming ladder  
Acrylic smoke grey tinted windows  
Hatches:  
2 x Size 44 Flush Hatch over cabins  
Portlights:  
5 x Size 1 in hull side  
Foredeck watertight access door to saloon  
4 x Drinks holders in foredeck  
2 x Coachroof handrails (s/s)  
2 x Aft hardtop grab handles (s/s)  
1 x 300mm mooring cleat in anchor locker  
10 x 300mm s/s mooring cleats

#### **FLYBRIDGE**

Helmstation console  
Acrylic windscreen around fwd section of flybridge  
Staircase from aft cockpit to flybridge with LED courtesy lighting  
U-shaped upholstered settee with backrests  
Storage under settee  
Wetbar unit with sink, faucet and Staron worktop  
Storage locker in wetbar  
Central fixed cocktail table with drink holder recess  
Guard rail around flybridge (s/s)  
Hardtop over flybridge  
Hardtop support arch and forward support posts (s/s)  
Overheads LED spotlights  
Drinks holders  
Port Settee

## **ELECTRICAL INSTALLATION**

LED Courtesy lights at stairways

Bi-colour & stern navlights

Digital monitoring including:

1 x Axiom 7 Multifunction Display at Helm for digital systems monitoring

12v DC switch panel

12v socket at switch panel and at helm station

1 x Double USB outlet at flybridge helm station

1 x Double USB outlet at internal helm station

1 x Double USB outlet in each cabin

1 x Wireless mobile phone charger in saloon

2 x House batteries - 180Ah deep cycle lead acid type

2 x Engine starter batteries - 100Ah Lead acid type

1 x House battery isolator switch

2 x Engine starter battery isolator switches

2 x Alternators, standard with engines

1 x Electrical spares kit: fuses, relays, fuse holders

1 x Electric fog horn with control at helm station

1200W - 220V Inverter for refrigerator

## **PLUMBING INSTALLATION**

Hot and cold pressurized fresh water system consisting of:

2 x Water tanks, 170USgal / 640ltr total capacity with level monitoring

2 x Fresh water pressure pump with accumulator tank

1 x Hot water cylinders 10USgal / 40ltr total capacity

Transom shower (hot and cold)

2 x Automatic shower drain pumps

2 x Holding tanks, 44USgal / 166ltr total capacity

2 x Electric bilge pumps (keel sump) with float switches and alarm at switch panel

2 x Manual bilge pumps (keel sump)

2 x High bilge float switches with alarm at switch panel

2 x Electric bilge pumps (engine room) with float switch and warning light at switch panel

Freshwater deckfill

Water purifying filter system

## **RUDDER & STEERING SYSTEM**

Balanced spade rudders

Rudder stock in stainless steel

Self aligning bearings with fiberglass rudder tube

Hydraulic steering system with tilting steering wheel

Soft grip steering wheel

## **NAVIGATION EQUIPMENT**

Compass at helm position

## **GENERAL EQUIPMENT**

6 x Fire extinguishers

Automatic Extinguishing system for engine rooms

Owner's Operating Manual

CE Certification NMMA Certification