

2024 Base Price & Option List

Purchaser	La Grande Motte 2024 Demo	#109 / B9019	EURO
English	STANDARD BOAT PER STANDARD BOAT EQUIPMENT LIST	220v	749 000
	DESTINATION	St Raphael, South of France	
	NUMBER OF CABINS	3	
	INTERIOR		
B9-1005	Upholstery Pack 3 – Sunbrella “Pebble”	279	x 279
B9-1008	Carpets in cabins and corridors – 3 cabin layout. Excludes saloon and galley areas	2 514	x OFFERED
B9-1301	Full length mirrors for 3-Cabin Layout (3)	1 261	x 1 261
B9-1600	Interior saloon blinds - front & side windows	7 084	x 7 084
B9-1760	Coffee table in lieu of standard folding saloon table	0	x 0
	ENGINES & DRIVE		
B9-2001	Yanmar 370hp engines in lieu of std 250hp engines	22 567	x 22 567
B9-2500	Bow thruster - Fix tunnel thruster in port bow	15 030	x 15 030
	NAVIGATION & ELECTRONICS		
B9-3200	Marine Stereo. Includes Wifi and Bluetooth connectivity. Speakers in saloon (2), aft cockpit (2), fwd cockpit (2) & flybridge (2). Wired remote controls in fwd cockpit (1), aft cockpit (1) & flybridge (1). – Note: Raymarine MFD's (not included in option) & personal wireless devices (only if connected wirelessly to Raymarine MFD via the Raymarine APP) can control system	5 171	x 5 171
B9-3304	Raymarine Base Pack: Includes Raymarine VHF (Multizone with AIS receiver) at internal helm & additional VHF handset at flybridge helm, p70Rs autopilot display at internal and p70s autopilot display at flybridge helm, 2 x AXIOM12 Multifunction display in lieu of AXIOM7 Multifunction display at Helmstation. With retractable depth transducer	19 141	x 19 141
B9-3313	AXIOM12 Multifunction display at internal helm. Requires Base Pack. Not to be ordered with B9-3346 (B9-3370)	6 856	x 6 856
B9-3370	Rear-view Raymarine camera (1) (Requires base pack)	1 191	x 1 191
B9-3371	Fwd facing Raymarine camera (1) with Augmented Reality Fwd facing Raymarine camera (1) with Augmented Reality function including AR200 GPS (Requires base pack) in lieu of base pack GPS	1 799	x 1 799
B9-3381	Raymarine Automatic Identification System with AIS Transceiver. (Requires Base Pack)	3 361	x 3 361
	ELECTRICAL		
B9-4110	220V Shore Power Pack: Includes 2 x 16A port and 2 x 16A stbd shore power inlets with 2 x heavy duty 50ft shore powerlines, AC switch panel, HWC 220V conversion, Battery management system allowing monitoring on Multifunction display. AC outlets in cabins, saloon, galley and nav station	11 413	x 11 413
B9-4140	Digital Switching (220V boats). Includes 2 x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems. Monitoring of all Batteries, all fluid levels, and critical Alarms. (Requires Base Pack). Must	13 692	x 13 692
B9-4210	Shaver outlets in heads, combination 220V/110V with transformer current protection—(2) (Only for boats with 220V systems)	934	x 934
B9-4317	Inverter/Battery Charger: 12V - 220V/5.0KW inverter with 200A charge rate, including remote operation panel. (Only for boats with shore power (B9-4110) or genset options (B9-5200/B9-5210) - recommended with option B9-4525 B9-4530 or B9-4560)	11 532	x 11 532
B9-4500	Upgrade std Lead Acid house & engine batteries to AGM batteries	1 783	x 1 783
B9-4525	Four additional AGM house battery (210 Ahr) - 6 Total	5 106	x 5 106
B9-4550	Link engine starter batteries to house batteries. Operated from Multifunction display at helm (Not to be ordered with option B9-5750)	268	x 268
B9-5200	Genset - Northern Lights 6kW (60 Hz 110V) / 5kW (50Hz 220V) supplied from port fuel tank, fuel transfer ability from stbd to port tank. Only for boats with shore power (B9-4100/B9-4110) options	30 891	x 30 891
B9-5255	Air-conditioning System - (2) 16 000 BTU 220V with sound enclosures, soft start technology and control panels. Only for boats with shore power (B9-4110) or genset options (B9-5200/10).	24 953	x 24 953
B9-5670	Provision for TV in Saloon - swing bracket & AC outlet	584	x 584
B9-5680	Provision for TV in owner's cabin (3-cabin layout only) - swing bracket & AC outlet	584	x 584
B9-5740	Solar panels 400w each fitted to hard top - (4)	13 268	x OFFERED
B9-5800	Underwater Lights - 2 x Blue mounted in stern	5 152	x OFFERED
	PLUMBING		
B9-6150	Electric Toilets - Salt and Fresh water flush: Sanimarin in lieu of manual salt water flushing toilets for 3 cabin layout - (2)	3 310	x 3 310
B9-6515	Sea water inlet seacock with hose led above the waterline (for future watermaker installation)	561	x 561
B9-6710	220V Dishwasher in Galley (Only for boats with 220V systems)	4 201	x 4 201
B9-6800	Deck wash fitting & pump - triple wash - dual fresh/salt water system on foredeck and fresh water outlets on flybridge and in aft cockpit	1 367	x 1 367
	HEATING, REFRIGERATION & GAS		
B9-7712	Refrigerator in Flybridge Wetbar - 12V - 62L	2 291	x 2 291
B9-7728	Convection Oven and Two Plate Electric Induction Cooktop (220V) in lieu of complete LPG System. Must be ordered with B9-4317. Not to be ordered with option B9-7715/B9-7720/B9-7725/B9-7726/B9-7727	1 446	x 1 446
B9-7731	Electric Grill: 220V on Flybridge Wetbar. Connect to shore power or genset. Only for boats with shore power option (B9-4110) or genset options (B9-5200/B9-5210). Not to be ordered with option B9-7730/B9-7732/B9-7733	2 019	x 2 019
	DECK & HULL		
B9-8110	Flybridge enclosure front and sides only with aft sunshade curtain	12 754	x 12 754
B9-8120	Aft cockpit side and back shade curtains	1 782	x 1 782
B9-8315	Foredeck Cushions	5 354	x 5 354
B9-8360	S/S Flag pole holder (2)	548	x 548
B9-8370	S/S Rod holder (4)	1 097	x 1 097
B9-8600	Custom S/S davit system with tackle c/w electric winch	6 756	x 6 756
B9-8800	Teak aft cockpit table in lieu of standard GRP table	5 813	x OFFERED
B9-8810	Teak flybridge table in lieu of standard GRP table	5 540	x OFFERED
B9-8901	Composite teak decking (Colour - Weathered with White Caulking): aft cockpit, transom steps & flybridge	28 932	x 28 932
	GENERAL EQUIPMENT		
B9-9905	44lb (20kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain	2 536	x 2 536
B9-9914	230ft (70m) anchor chain in lieu of 165ft (50m) chain	616	x 616
B9-9918	Anchor bridle, shackles and hook	559	x 559

B9-9930	Black fenders (6), black mooring lines (4, 16mm x 10m), black spring lines (2, 16mm x 15m)	1 049	x	1 049
COMMISSIONING & DELIVERY				
B9-9950	Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbour, launching, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate CE Safety Package including 8 man life raft, U-bolts and tie downs	19 611	x	19 611
	Post delivery commissioning	5 810	x	5 810
	Freight Delivery *	9 236	x	9 236
	La Grande Motte Boat Show Demo	47 198	x	47 198
	TV in Main Saloon (Dealer installed)	INCLUDED	x	INCLUDED
	TV in Owner's Cabin (Dealer installed)	INCLUDED	x	INCLUDED

		EURO		
Total Options		344 510		
Total Purchase Price (ex-tax)		1 093 510		
Exceptional Rebate		261 010		
Total Purchase Price after Rebate (ex-tax)		832 500		
Total Purchase Price including Tax		999 000		
Purchaser	Date			
Purchaser	Date			
Dealer	Date			

**In-water delivery requires electronics and safety equipment (including life-raft) - Freight is an estimation only and can be a combination of freighter + water delivery
Prices, standard equipment and options are subject to change without notice - All Sales are subject to signed Purchase & Sales Agreement and Deposit
Any modification to the Option List is to be mutually agreed in writing and may result in additional fees - Most recent signed Option List supersedes all previous versions
Cape Town Deliveries require the Boat to leave South African waters within 90 days from the hand-over Date of the Boat from Robertson & Caine to the Dealer.
Failure to do so will result in Buyer to pay an extra 3% of the selling price of the Boat plus South African VAT*

MAIN SPECIFICATIONS

Length overall.....	40' / 12.19m
Length Waterline.....	39'7" / 12.07m
Beam max.....	21'8" / 6.61m
Draft (half load).....	3'7" / 1.10m
Bridgedeck Clearance (half load).....	2'4" / 0.70m
Overall Height above Water Line, excluding Antenna (Half load).....	18'5" / 5.61m
Saloon Living Area.....	172.8sqft / 16sqm
Displacement (Light ship).....	30,488lbs / 13,829kg
Load carrying capacity.....	12,410lbs / 5,629kg
Fresh water capacity.....	169gal / 640l
Fuel capacity.....	370gal / 1400l
Holding tank capacity.....	42gal / 160l
Standard Engine.....	Yanmar 4LV250
Engine Max Power.....	250hp
Engine Number of Cylinders.....	4

Note: Speed and range figures can vary depending on measurement conditions and fuel quality.

STANDARD BOAT EQUIPMENT LIST (PRELIMINARY)

SALOON

Laminate finish
Wear resistant laminate flooring
Folding saloon table with two fixed legs
LED overhead lighting
Forward doorway access to foredeck
Settee - L - shape on port side
Internal Helm
Full length settee on starboard side
Access to aft cockpit through sliding door

GALLEY

Stainless galley worktop surfaces
Single lever mixer faucet with pull-out sprayer
Single s/s sink
Dish and cutlery drying recess with drainage
Cover for drying recess
Domestic refrigerator
3-burner gas hob
Gas oven
Gas solenoid shut-off valve with control at switch panel & warning light at cooker
Gas cylinder regulator in dedicated foredeck LPG locker
Separate garbage bin locker
Storage space in shelf lockers
Storage space under floorboards
3 x Drawers
Outboard galley shelf with provision for microwave
Smoke detector / alarm
LPG Detector/alarm

INTERNAL HELM

Internal Helm Console - Includes steering and engine controls
LED overhead lighting
Helm seat c/w backrest

PORT FORWARD & AFT CABIN

Laminate finish with solid wood trims
Wear resistant laminate flooring
Double berths:
Forward Cabin - Queen (1.5m x 2.0m or 4'11" x 6'7")
Aft Cabin - Olympic Queen (1.6m x 2.00m or 5'5" x 6'7")
Hanging locker with lower shelf
LED overhead lighting
2 x LED reading lamps in each cabin
Large open shelves
2 x Storage drawers under bunk in forward cabin only
1 x Storage drawer under bunk in aft cabin only
Large hull window incorporating portlight with slatted blind
Carbon monoxide detector / alarm

STARBOARD OWNER CABIN

Laminate finish with solid wood trims
Wear resistant laminate flooring
Mattress Olympic Queen (1.6m x 2.00m or 4'11" x 6'6")
1 x Full height hanging locker
1 x Full height shelf locker
Vanity table/desk with storage locker under lid
Fold up vanity mirror

Drawer unit with 4 x drawers
Sliding entrance door with lock
LED overhead lighting
2 x LED reading lamps over bunk
Carbon monoxide detector / alarm

PORT HEAD

Washbasins with basin mixer and Staron counter
Under-basin locker with toilet roll holder
Vanity locker with mirror
Double towel rail
Sliding heads door
Dedicated trashcan locker
Shower compartment c/w lever mixer and adjustable shower rose
Shower sump with automatic drainage system
Overhead LED lighting
Large bowl manual toilet

OWNER CABIN HEAD

Washbasins with basin mixer and Staron counter
Under-basin locker with toilet roll holder
Vanity locker with mirror
Double towel rail
Sliding heads door
Dedicated trashcan locker
Shower compartment c/w lever mixer and adjustable shower rose
Shower sump with automatic drainage system
Overhead LED lighting
Large bowl manual toilet

ENGINE & CONTROLS

Electronic double lever throttle / gearshift control
Sound deadening panels in engine room
2 x Engine room ventilation fans and ducting
2 x Yanmar 250hp diesel engines
2 x Propellers - 4 -blade fixed
2 x Fuel deck fillers
2 x Fuel filter / water separators
2 x Fuel tanks 370USgal /1400Ltr total capacity
2 x Exhaust skin fittings (s/s)
2 x Exhaust water locks
2 x Cooling water inlet strainers
2 x Exhaust cooling water temperature sensors with audible alarms at helm

DECK FITTINGS

Guard railing (s/s)
2 x Pushpits (s/s)
2 x Pulpit seats (port & stbd)
1600w vertical windlass 10mm gvpss and capstan c/w hand-held remote
Anchor bow roller fitting for primary anchor
Anchor bow roller fitting for secondary anchor
Anchor chain stopper
1 x Chain locker
1 x Anchor/windlass locker
3 x Foredeck lockers
Gas cylinder locker
Sliding companionway door
Hardtop over aft cockpit
Settee in aft cockpit with cushions and bolster
Table in aft cockpit
2 x Folding deck chairs
Swimming ladder
Acrylic smoke grey tinted windows
Hatches:
2 x Size 44 Flush Hatch over cabins
Portlights:
5 x Size 1 in hull side
Foredeck watertight access door to saloon
4 x Drinks holders in foredeck
2 x Coachroof handrails (s/s)
2 x Aft hardtop grab handles (s/s)
1 x 300mm mooring cleat in anchor locker
10 x 300mm s/s mooring cleats

FLYBRIDGE

Helmstation console
Acrylic windscreen around fwd section of flybridge
Staircase from aft cockpit to flybridge with LED courtesy lighting
U-shaped upholstered settee with backrests
Storage under settee
Wetbar unit with sink, faucet and Staron worktop
Storage locker in wetbar
Central fixed cocktail table with drink holder recess
Guard rail around flybridge (s/s)
Hardtop over flybridge
Hardtop support arch and forward support posts (s/s)
Overheads LED spotlights
Drinks holders
Port Settee

ELECTRICAL INSTALLATION

LED Courtesy lights at stairways
Bi-colour & stern navlights
Digital monitoring including:
1 x Axiom 7 Multifunction Display at Helm for digital systems monitoring
12v DC switch panel
12v socket at switch panel and at helm station
1 x Double USB outlet at flybridge helm station

- 1 x Double USB outlet at internal helm station
- 1 x Double USB outlet in each cabin
- 1 x Wireless mobile phone charger in saloon
- 2 x House batteries - 180Ah deep cycle lead acid type
- 2 x Engine starter batteries - 100Ah Lead acid type
- 1 x House battery isolator switch
- 2 x Engine starter battery isolator switches
- 2 x Alternators, standard with engines
- 1 x Electrical spares kit: fuses, relays, fuse holders
- 1 x Electric fog horn with control at helm station
- 1200W - 220V Inverter for refrigerator

PLUMBING INSTALLATION

Hot and cold pressurized fresh water system consisting of:

- 2 x Water tanks, 170USgal / 640ltr total capacity with level monitoring
- 2 x Fresh water pressure pump with accumulator tank
- 1 x Hot water cylinders 10USgal / 40ltr total capacity
- Transom shower (hot and cold)
- 2 x Automatic shower drain pumps
- 2 x Holding tanks, 44USgal / 166ltr total capacity
- 2 x Electric bilge pumps (keel sump) with float switches and alarm at switch panel
- 2 x Manual bilge pumps (keel sump)
- 2 x High bilge float switches with alarm at switch panel
- 2 x Electric bilge pumps (engine room) with float switch and warning light at switch panel
- Freshwater deckfill
- Water purifying filter system

RUDDER & STEERING SYSTEM

- Balanced spade rudders
- Rudder stock in stainless steel
- Self aligning bearings with fiberglass rudder tube
- Hydraulic steering system with tilting steering wheel
- Soft grip steering wheel

NAVIGATION EQUIPMENT

- Compass at helm position

GENERAL EQUIPMENT

- 6 x Fire extinguishers
- Automatic Extinguishing system for engine rooms
- Owner's Operating Manual
- CE Certification NMMA Certification