	E	Ο	F	> A	۶ F	<b>२</b>	D	
Ρ	$\bigcirc$	$\sim\sim$	E	R	С	A	$\top$	



2024 Base Price & Option List

Purchase	r La Grande Motte - Cannes - Genoa - Barcelona - DEMO 2024		EURO
English	STANDARD BOAT PER STANDARD BOAT EQUIPMENT LIST	220v	909 000
	DESTINATION	St Raphael, South	of France
	NUMBER OF CABINS	3	
	INTERIOR	x	]
B8-1005 B8-1008	Upholstery Pack 3 – Sunbrella "Pebble"	529 x 4 272 x	529
B8-1008 B8-1301	Carpets in cabins and corridors – 3 cabin layout. Excludes saloon and galley areas Full length mirrors for 3-Cabin Layout (3)	<u>4 272 x</u> 1 264 x	OFFFERED 1 264
B8-1600	Interior saloon blinds - front & side windows	8 356 x	8 356
B8-1770	Settee converts into fold out bunk, in lieu of storage locker	1 176 x	1 176
B8-1900	Upholstered ottoman at study desk 3-Cabin Layout as per interior pack choice	<u>681 x</u>	681
B8-2001	ENGINES & DRIVE Yanmar 370hp engines in lieu of std 250hp engines	23 005 x	23 005
B8-2500	Bow thruster - Fix tunnel thruster in port bow. Comes with bow thruster controller at Flybridge Helm	15 322 x	15 322
<b>DA A A A A A A A A A</b>	NAVIGATION & ELECTRONICS	5.504	5 504
B8-3200	Marine Stereo. Includes Wifi and Bluetooth connectivity. Speakers in saloon (2), aft cockpit (2), fwd. cockpit (2) & flybridge (2). Wired remote controls in fwd cockpit (1), aft cockpit (1) & flybridge (1). –	5 534 x	5 534
	Note: Raymarine MFD's (not included in option) & personal wireless devices (only if connected		
	wirelessly to Raymarine MFD via the Raymarine APP) can control system		
B8-3304	Raymarine Base Pack: Includes VHF (Multizone with AIS receiver) at internal helm & additional VHF	20 688 x	20 688
	handset at flybridge helm, p70s autopilot display at internal and p70Rs autopilot display at flybridge helm, AXIOM XL16 Multifunction display in lieu of AXIOM7 Multifunction display at Helmstation. With		
	retractable depth transducer		
B8-3310	Additional AXIOM XL16 Multifunction display with WiFi at flybridge helm (Requires Base Pack. Not to be ordered with B8-3311/12)	10 995 x	10 995
B8-3313	AXIOM12 Multifunction display at internal helm. (Requires Base Pack). Not to be ordered with B8-	6 990 x	6 990
B8-3370	Rear-view Raymarine camera (1) (Requires base pack)	<u>1 193 x</u>	1 193
B8-3371	Fwd facing Raymarine camera (1) with Augmented Reality function including AR200 GPS (Requires base pack) in lieu of base pack GPS	1 395 x	1 395
B8-3381	Raymarine Automatic Identification System with AIS Transceiver. (Requires Base Pack)	3 363 x	3 363
	ELECTRICAL	·	
B8-4110	220V Shore power pack: Includes 2 x 16A port and 2 x 16A stbd shore power inlets with 2 x heavy duty 50ft shore powerlines, AC switch panel, 5000W inverter/charger (in lieu of standard inverter	17 554 x	17 554
	3000W - 110V), 1200W 220V inverter in lieu of standard inverter 1200W - 110V, hot water cylinder		
	and Convection microwave voltage conversion to 220V, Battery management system allowing		
D0 4440	monitoring on Multifunction display, AC outlets in cabins, saloon and galley	10,100	10,100
B8-4140	Digital Switching (220V boats). Includes 1 x AXIOM12 Multifunction display in Saloon. 2 x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems. Monitoring of all	16 492 x	16 492
	Batteries. all fluid levels. and critical Alarms. (Requires Base Pack).		
B8-4211	Shaver outlets in heads, combination 220V/110V with transformer current protection for 3 cabin	1 319 x	1 319
B8-4500	layout—(3) (Only for boats with 220V systems) Upgrade std Lead Acid house batteries to AGM batteries. Recommended with shore power (B8-	3 787 x	3 787
	4100/4110. B8-41MM/42MM)		
B8-4515 B8-4525	Two additional AGM house batteries (210Ah) 6 Total. (Requires B8-4500) Four additional AGM house batteries (210Ah) 8 Total. (Requires B8-4500)	<u>3 434 x</u> 5 859	3 434
B8-4550	Link engine starter batteries to house batteries. Operated from Multifunction display at helm (Not to	272 x	272
	be ordered with option B8-5750)		
B8-5210	Genset - Northern Lights 9kW (60 Hz 110V) / 7kW (50Hz 220V) supplied from port fuel tank, fuel transfer ability from stbd to port tank. Analogue control panel without Auto Start/stop function. Only	40 566 x	40 566
	for boats with shore power (B8-4100/4110, B8-41MM/42MM)		
B8-5255	Air-conditioning System - (2) 16 000 BTU 220V with sound enclosures, soft start technology and	25 673 x	25 673
	control panels. Only for boats with shore power (B8-4110/42MM) or genset options (B8- 5210/5211/5225/5230)		
B8-5616	Motorized TV lift in saloon – For TVs between 40 to 50 inches. Requires shore power options (B8-	2 876 x	2 876
B8-5680	4100/4110.B8-41MM/42MM) Provision for TV in owner's cabin (3-cabin layout only) - swing bracket & AC outlet. Requires shore	613 x	613
D0-3000	power options (B8-4100, B8-4110, B8-41MM, B8-42MM)	013 X	013
	PLUMBING	T	
B8-6150	Electric Toilets - salt and fresh water flush: Sanimarin in lieu of electric salt water flushing toilets for 3	1 063 x	1 063
B8-6520	cabin layout Watermaker: H2O ECO 400GPD Sea Recovery 63 ltr/ 17 Usgal per hr, 12V	23 678 x	23 678
B8-6610	Washer/dryer (220V) installed in Port corridor. Only for boats with shore power (B8-4110, B8-42MM)	4 202 x	4 202
D0 0740	or genset options (B8-5210/5211/5225/5230)	4.00.4	4.004
B8-6710	220V Dishwasher in Galley in lieu of port drawer. Only for boats with shore power options (B8- 4110/42MM). Not to be ordered with option B8-6700	4 204 x	4 204
B8-6800	Deck wash fitting & pump - triple wash - dual fresh/salt water system on foredeck and fresh water	1 346 x	1 346
B8-6850	Stern shower: Hot/cold water in lieu of cold only	385 x	385
		Т	
	HEATING, REFRIGERATION & GAS		
B8-7711 B8-7720	HEATING, REFRIGERATION & GAS Refrigerator in Flybridge Wetbar - 12V Two plate electric induction cooktop (220V) in lieu of 4-burner LPG cooktop and complete LPG	2 522 x 0 x	2 522

B8-7731	Single Element Electric Grill: 220V on Flybridge Wetbar - (Only for boats with shore power (B8-4110)	2 001	х	2 001
B8-7760	or genset options (B8-5210/11/20). Not to be ordered with option B8-7730 Additional freezer (12V) installed in galley. Not to be ordered with B8-7758/40/41/55/56	3 189	х	3 189
201100		0 100	Λ	0 100
	DECK & HULL			
B8-8001	Exterior Pack 1 – Standard Charcoal (Grey)	0	х	0
B8-8110	Flybridge enclosure front and sides only with aft sunshade curtain	14 496	х	14 496
B8-8315	Foredeck lounging cushions with adjustable backrests in lieu of standard foredeck lounging cushions	2 225	х	2 225
B8-8360	S/S Flag pole holder (2)	545	х	545
B8-8370	S/S Rod holders (4)	1 088	х	1 088
B8-8630	Winch type Lifting Platform with Folding Chocks	57 664	x	57 664
B8-8800	Teak aft cockpit table in lieu of standard GRP table	5 587	x	OFFERED
B8-8810	Teak flybridge table in lieu of standard GRP table	7 574	x	OFFERED
B8-8911	Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd. cockpit,	37 389	X	-
D0-0911		37 309	^	37 389
	flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-			
	GENERAL EQUIPMENT			
B8-9903	55lb (25kg) Delta anchor c/w 165ft (50m) chain	1 997	х	1 997
B8-9914	230ft (70m) anchor chain in lieu of 165ft (50m) chain	616		616
B8-9918	Anchor bridle, shackles and hook	557	x	557
B8-9930	Black fenders (6), black mooring lines (4, 16mm x 10m), black spring lines (2, 16mm x 15m)	1 052	x	1 052
D0-9930		1 052	^	1 032
	COMMISSIONING & DELIVERY			
B8-9950	Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape	25 631	х	25 631
	Town harbour, launching, commissioning of equipment & sea trials, 3 days marina fees at RCYC &			
	CE certificate			
		5.010		5.040
	CE Safety Package including 8 man life raft, U-bolts and tie downs	5 810		5 810
	Post delivery commissioning	9 236	х	9 236
	Freight Delivery *	56 637	х	56 637
	La Grande Motte/Cannes/Genoa/Barcelona Demo + Winter Demo	INCLUDED	х	INCLUDED
	TV in main salon	INCLUDED	х	INCLUDED
	TV in owner's Cabin	INCLUDED	х	INCLUDED
				EURO
				EURU
Total Opti	ons			470 610
Total Pure	chase Price (ex-tax)			1 379 610
Exceptior	nal Rebate			172 110
Total Pure	chase Price after Rebate (ex-tax)			1 207 500
Total Pure	chase Price including Tax			1 449 000
Purchaser	Date			
Purchaser	Date			
	Duto			
Dealer	Date			

\*In-water delivery requires electronics and safety equipment (including life-raft) - Freight is an estimation only and can be a combination of freighter + water delivery Prices, standard equipment and options are subject to change without notice - All Sales are subject to signed Purchase & Sales Agreement and Deposit Any modification to the Option List is to be mutually agreed in writing and may result in additional fees - Most recent signed Option List supersedes all previous versions Cape Town Deliveries require the Boat to leave South African waters within 90 days from the hand-over Date of the Boat from Robertson & Caine to the Dealer. Failure to do so will result in Buyer to pay an extra 3% of the selling price of the Boat plus South African VAT

# LEOPARD 46

### MAIN SPECIFICATIONS

Length overall Length overall (including Platform) Length Waterline Beam max	47'5" / 14.44m 46'2" / 14.06m
Draft (half load) Bridgedeck Clearance (half load) Overall Height above Water Line, including Nav Light Pole (Half load)	···2'6" / 0.75m
Saloon Living Area	237.6sqft / 22sqm
Displacement (Light ship) Load carrying capacity	
Fresh water capacity Fuel capacity Holding tank capacity	··· 475gal / 1800l
Standard Engine	Yanmar 4LV250
Engine Max Power Engine Number of Cylinders Note: Speed and range figures can vary depending on measurement conditions and fuel quality.	

# STANDARD BOAT EQUIPMENT LIST

#### SALOON

Laminate finishes with solid wood trims Folding saloon table with two fixed legs Settee - L-shape Sofa on starboard Wear resistant laminate flooring LED overhead lighting Stowage space under stbd settee cushions Front doorway access to foredeck

#### GALLEY

Staron galley worktop surfaces Single lever mixer faucet with pull out sprayer Single s/s sink Dish and cutlery drying recess with drainage Double door domestic fridge with icemaker 4-burner hob Convection microwave oven Gas solenoid shut-off valve with control at switch panel & warning light at cooker Gas detectors in each hull connected to alarm in saloon Gas cylinder regulator in dedicated LPG locker Separate garbage bin locker Stowage space in shelf lockers Spice rack 4 x Galley drawers 1 x Pot storage drawers Smoke detector / alarm Carbon monoxidedetector / alarm

#### INTERNAL HELM

Internal Helm Console - Includes steering and engine controls LED overhead lighting Helm seat c/w backrest integrated with starboard sofa

## CABINS x 4 (4 CABIN VERSION)

Laminate finishes Queen size berth (2025mm x 1720mm or 80" x 68") Bedside tables Headboard Hanging locker with lower shelf LED overhead lighting LED reading lamps Overhead roller blinds for privacy Large open shelves Stowage drawers under bunk Large hull window incorporating portlight and slatted blind Transom windows with slatted blind (aft cabins only) Carbon monoxide detector / alarm

#### **OWNER CABIN (3 CABIN VERSION)**

Laminate finishes Queen size berth (2025mm x 1720mm or 80" x 68") Bedside tables Headboard Large double door wardrobe Vanity table/desk with drawers under Sliding entrance door with lock LED reading lamps Carbon monoxide detector / alarm Large hull window incorporating portlight and slatted blind Transom windows with slatted blind

## HEADS COMPARTMENTS x 4 (4 CABIN VERSION)

Washbasin with basin mixer and Staron top Vanity locker with mirror Towel rail Shower area c/w lever mixer and adjustable shower rose Shower sump with automatic drainage LED Overhead lighting Overhead roller blinds for privacy Hull window with slatted blind Electric Toilets - salt water flush

# OWNER CABIN HEADS (3 CABIN VERSION)

Double washbasin with basin mixers and Staron top Mirror Towel rail Separate shower compartment with acrylic enclosure c/w lever mixer and adjustable shower rose Shower sump with automatic drainage LED Overhead lighting Hull window with slatted blind Electric Toilets - salt and water flush

#### ENGINE & CONTROLS

Double lever throttle / gearshift control Sound deadening panels in engine room 2 x Engine room ventilation fans and ducting 2 x Yanmar 250HP diesel engines 2 x Propellers - 4-blade fixed 2 x Fuel deck fillers 2 x Fuel deck fillers 2 x Fuel filter / water separators 2 x Fuel tanks 489USgal / 1852Ltr total capacity 2 x Exhaust skin fittings (s/s) 2 x Exhaust skin fittings (s/s) 2 x Cooling water inlet strainers 2 x Cooling water temperature sensors with audible alarms at helm 2 x Moisture eliminating grilles DECK FITTINGS

Guard railing (s/s) 2 x Pushpits (s/s) 2 x Pulpit seats (port & stbd) 2000w vertical windlass 10mm gypsy c/w hand held remote Anchor bow roller fitting for primary anchor Anchor bow roller fitting for secondary anchor Anchor chain stopper 1 x Chain locker 1 x Anchor/windlass locker 2 x Foredeck lockers Gas cylinder locker Sliding companionway door Hardtop over aft cockpit U-shaped settee in aft cockpit with cushions and bolster Table in aft cockpit 2 x Stainless Steel Directors chairs Swimming ladder Acrylic smoke grey tinted windows Hatches: 2 x Size 60 Flush Hatch over cabins Portlights: 8 x Size 1 in hull side Foredeck lounging area c/w watertight saloon access door and 2 x fwd facing sun loungers 4 x Drinks holders in forward cockpit 2 x Coachroof handrails (s/s) 2 x Aft hardtop grab handles (s/s) 1 x 300mm mooring cleat in anchor locker 10 x 300mm s/s mooring cleats FLYBRIDGE

Helm station console - Includes steering and enigne controls Staircase from aft cockpit to flybridge with LED courtesy lighting 1 x Staircase stainless steel grab handle U-shaped upholstered settee Wetbar unit with sink and faucet and GRP worktop Life raft locker Stowage locker in wetbar Central fixed cocktail table with drink holder recess Guard railing around aft section of flybridge (s/s) Acrylic windscreen around fwd section of flybridge Hardtop over flybridge Hardtop supports Overhead lighting Drinks holders Sunbed aft of settee Stowage beneath settee cushions Forward facing lounge settee on port

# ELECTRICAL INSTALLATION

LED Courtesy lights at stairways LED Bi-colour & stern navlights

- 12v DC switch panel
- 1 x 12v outlet sockets at helm station
- 1 x Double USB sockets at helm station
- 1 x Double USB sockets at nav desk
- 1 x Double USB socket in each cabin
- 1 x Wireless mobile phone charger in saloon
- 4 x House batteries 180Ah deep cycle lead acid type 4 x Engine starter batteries - 100Ah AGM type
- 1 x House battery isolator switch
- 2 x Engine starter battery isolator switches
- 2 x Alternators, standard with engines
- 1 x Electrical spares kit: fuses, relays, fuse holders
- 1 x Electric fog horn with control at helm station
- Digital monitoring including
- 1 x Axiom 7" Multifunction Display at helm for digital systems monitoring 3000W 110V Inverter for convection microwave oven 1200W - 110V or 220V Inverter for refrigerator

# PLUMBING INSTALLATION

Hot and cold pressurized fresh water system consisting of: 2 x Water tanks, 185USgal / 700ltr total capacity with level reading and gauges 2 x Fresh water pressure pump with accumulator tank 2 x Hot water cylinders, 13USgal / 50ltr total capacity Transom shower (cold only) 4 x Automatic shower drain pumps (3 for 3-cabin layout) Holding tanks, 45USgal / 170ltr total capacity 2 x Electric bilge pumps (keel sump) with float switches and alarm at switch panel 2 x Manual bilge pumps 2 x High water bilge float switches with alarm at switch panel 2 x Electric bilge pumps (engine room) with flat switch and warning light at switch panel Freshwater connection Water purifying filter system - Purifying water tap located at galley

## **RUDDER & STEERING SYSTEM**

Balanced spade rudders in stainless steel Rudder stock in stainless steel Bearings with fibreglass rudder tube Hydraulic steering system Soft-grip steering wheel

#### NAVIGATION EQUIPMENT

Compass at helm position

# GENERAL EQUIPMENT

6 x Fire extinguishers Automatic Extinguishing system for engine rooms Owner's Operating Manual CE Certification NMMA Certification