| L | E | Ο | F | Þ | ۲ F | २ | D | |
|---|------------|------------|----------|---|-----|----------|--------|--|
| Ρ | \bigcirc | $\sim\sim$ | \vdash | R | С | A | \top | |



2024 Base Price & Option List

| | r La Grande Motte - Cannes - Genoa - Barcelona - DEMO 2024 | | | GBP |
|--------------------|--|------------------------|------------|------------------------|
| English | STANDARD BOAT PER STANDARD BOAT EQUIPMENT LIST | 220v | | 819 000 |
| | DESTINATION | St Raphael, So | uth of Fra | ance |
| | NUMBER OF CABINS | 3 | | |
| | INTERIOR | ΓΓ | х | |
| B8-1005 | Upholstery Pack 3 – Sunbrella "Pebble" | | x | 443 |
| B8-1008 B8-1301 | Carpets in cabins and corridors – 3 cabin layout. Excludes saloon and galley areas Full length mirrors for 3-Cabin Layout (3) | | x C x | 0FFERED 1 058 |
| B8-1600 | Interior saloon blinds - front & side windows | 6 994 | х | 6 994 |
| B8-1770 B8-1900 | Settee converts into fold out bunk, in lieu of storage locker Upholstered ottoman at study desk 3-Cabin Layout as per interior pack choice | 984 570 | x x | <u>984</u> 570 |
| D0-1300 | | <u> </u> | ^ | 570 |
| B8-2001 | ENGINES & DRIVE Yanmar 370hp engines in lieu of std 250hp engines | 19 256 | х | 19 256 |
| B8-2500 | Bow thruster - Fix tunnel thruster in port bow. Comes with bow thruster controller at Flybridge Helm | 12 825 | x | 12 825 |
| | NAVIGATION & ELECTRONICS | T | | |
| B8-3200 | Marine Stereo. Includes Wifi and Bluetooth connectivity. Speakers in saloon (2), aft cockpit (2), fwd. | 4 632 | х | 4 632 |
| | cockpit (2) & flybridge (2). Wired remote controls in fwd cockpit (1), aft cockpit (1) & flybridge (1) | | | |
| | Note: Raymarine MFD's (not included in option) & personal wireless devices (only if connected wirelessly to Raymarine MFD via the Raymarine APP) can control system | | | |
| B8-3304 | Raymarine Base Pack: Includes VHF (Multizone with AIS receiver) at internal helm & additional VHF | 17 316 | x | 17 316 |
| | handset at flybridge helm, p70s autopilot display at internal and p70Rs autopilot display at flybridge | | | |
| | helm, AXIOM XL16 Multifunction display in lieu of AXIOM7 Multifunction display at Helmstation. With retractable depth transducer | | | |
| B8-3310 | Additional AXIOM XL16 Multifunction display with WiFi at flybridge helm (Requires Base Pack. Not to | 9 203 | х | 9 203 |
| B8-3313 | be ordered with B8-3311/12) AXIOM12 Multifunction display at internal helm. (Requires Base Pack). Not to be ordered with B8- | 5 851 | x | E 951 |
| B8-3370 | Rear-view Raymarine camera (1) (Requires base pack) | 998 | x | <u>5 851</u> 998 |
| B8-3371 | Fwd facing Raymarine camera (1) with Augmented Reality function including AR200 GPS (Requires | 1 167 | х | 1 167 |
| B8-3381 | base pack) in lieu of base pack GPS Raymarine Automatic Identification System with AIS Transceiver. (Requires Base Pack) | 2 815 | х | 2 815 |
| | | [[| | |
| B8-4110 | ELECTRICAL 220V Shore power pack: Includes 2 x 16A port and 2 x 16A stbd shore power inlets with 2 x heavy | 14 694 | х | 14 694 |
| | duty 50ft shore powerlines, AC switch panel, 5000W inverter/charger (in lieu of standard inverter | | | |
| | 3000W - 110V), 1200W 220V inverter in lieu of standard inverter 1200W - 110V, hot water cylinder | | | |
| | and Convection microwave voltage conversion to 220V, Battery management system allowing monitoring on Multifunction display, AC outlets in cabins, saloon and galley | | | |
| B8-4140 | Digital Switching (220V boats). Includes 1 x AXIOM12 Multifunction display in Saloon. 2 x 6-Way | 13 804 | х | 13 804 |
| | Membrane switch (Saloon and Helm Station). Control of all 12V DC systems. Monitoring of all Batteries. all fluid levels. and critical Alarms. (Requires Base Pack). | | | |
| B8-4211 | Shaver outlets in heads, combination 220V/110V with transformer current protection for 3 cabin | 1 104 | x | 1 104 |
| D0 4500 | layout—(3) (Only for boats with 220V systems) | 0.470 | | 2 4 7 0 |
| B8-4500 | Upgrade std Lead Acid house batteries to AGM batteries. Recommended with shore power (B8- 4100/4110, B8-41MM/42MM) | 3 170 | х | 3 170 |
| B8-4515 | Two additional AGM house batteries (210Ah) 6 Total. (Requires B8-4500) | 2 875 | х | 2 875 |
| B8-4525 B8-4550 | Four additional AGM house batteries (210Ah) 8 Total. (Requires B8-4500) Link engine starter batteries to house batteries. Operated from Multifunction display at helm (Not to | 4 904 227 | x | 227 |
| D0 4000 | be ordered with option B8-5750) | | ^ | |
| B8-5210 | Genset - Northern Lights 9kW (60 Hz 110V) / 7kW (50Hz 220V) supplied from port fuel tank, fuel | 33 955 | х | 33 955 |
| | transfer ability from stbd to port tank. Analogue control panel without Auto Start/stop function. Only for boats with shore power (B8-4100/4110, B8-41MM/42MM) | | | |
| B8-5255 | Air-conditioning System - (2) 16 000 BTU 220V with sound enclosures, soft start technology and | 21 489 | х | 21 489 |
| | control panels. Only for boats with shore power (B8-4110/42MM) or genset options (B8- 5210/5211/5225/5230) | | | |
| B8-5616 | Motorized TV lift in saloon – For TVs between 40 to 50 inches. Requires shore power options (B8- | 2 407 | х | 2 407 |
| B8-5680 | 4100/4110.B8-41MM/42MM) Provision for TV in owner's cabin (3-cabin layout only) - swing bracket & AC outlet. Requires shore | 513 | x | 513 |
| D0-3000 | power options (B8-4100, B8-4110, B8-41MM, B8-42MM) | 515 | ^ | 515 |
| | PLUMBING | T | | |
| B8-6150 | Electric Toilets - salt and fresh water flush: Sanimarin in lieu of electric salt water flushing toilets for 3 | 890 | х | 890 |
| | cabin layout | 10.010 | | 40.040 |
| B8-6520 B8-6610 | Watermaker: H2O ECO 400GPD Sea Recovery 63 ltr/ 17 Usgal per hr, 12V Washer/dryer (220V) installed in Port corridor. Only for boats with shore power (B8-4110, B8-42MM) | <u>19 819</u> 3 517 | x | <u>19 819</u> 3 517 |
| | or genset options (B8-5210/5211/5225/5230) | | | |
| B8-6710 | 220V Dishwasher in Galley in lieu of port drawer. Only for boats with shore power options (B8- 4110/42MM). Not to be ordered with option B8-6700 | 3 519 | х | 3 519 |
| B8-6800 | Deck wash fitting & pump - triple wash - dual fresh/salt water system on foredeck and fresh water | 1 127 | x | 1 127 |
| B8-6850 | Stern shower: Hot/cold water in lieu of cold only | 322 | х | 322 |
| | HEATING, REFRIGERATION & GAS | [| | |
| B8-7711 B8-7720 | Refrigerator in Flybridge Wetbar - 12V | 2 111 | x | 2 111 0 |
| DO-112U | Two plate electric induction cooktop (220V) in lieu of 4-burner LPG cooktop and complete LPG | 0 | х | 0 |

| B8-7731 | Single Element Electric Grill: 220V on Flybridge Wetbar - (Only for boats with shore power (B8-4110) | 1 675 x | 1 675 |
|--------------------|--|-----------------|-----------|
| B8-7760 | or genset options (B8-5210/11/20). Not to be ordered with option B8-7730 Additional freezer (12V) installed in galley. Not to be ordered with B8-7758/40/41/55/56 | 2 670 x | 2 670 |
| | | · | |
| D0 0001 | DECK & HULL Exterior Pack 1 – Standard Charcoal (Grey) | 0 | 0 |
| B8-8001 B8-8110 | Exterior Pack 1 – Standard Charcoal (Grey) Flybridge enclosure front and sides only with aft sunshade curtain | 0 x 12 134 x | 0 12 134 |
| B8-8315 | Foredeck lounging cushions with adjustable backrests in lieu of standard foredeck lounging cushions | 1 862 x | 1 862 |
| B8-8360 | S/S Flag pole holder (2) | 456 x | 456 |
| B8-8370 | S/S Rod holders (4) | 911 x | 911 |
| B8-8630 | Winch type Lifting Platform with Folding Chocks | 48 267 x | 48 267 |
| B8-8800 | Teak aft cockpit table in lieu of standard GRP table | 4 677 x | OFFERED |
| B8-8810 | Teak flybridge table in lieu of standard GRP table | 6 340 x | OFFERED |
| B8-8911 | Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd. cockpit, | 31 296 x | 31 296 |
| 00-0911 | flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5- | 51290 x | 51 290 |
| | GENERAL EQUIPMENT | | |
| B8-9903 | 55lb (25kg) Delta anchor c/w 165ft (50m) chain | 1 671 x | 1 671 |
| B8-9914 | 230ft (70m) anchor chain in lieu of 165ft (50m) chain | 515 x | 515 |
| B8-9918 | Anchor bridle, shackles and hook | 466 x | 466 |
| B8-9930 | Black fenders (6), black mooring lines (4, 16mm x 10m), black spring lines (2, 16mm x 15m) | 881 x | 881 |
| | | | |
| B8-9950 | COMMISSIONING & DELIVERY Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape | 21 454 x | 21 454 |
| D0-9930 | Town harbour, launching, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate | 21 454 X | 21 454 |
| | CE Safety Package including 8 man life raft, U-bolts and tie downs | 4 863 x | 4 863 |
| | Post delivery commissioning | 7 731 x | 7 731 |
| | Freight Delivery * | 47 407 x | 47 407 |
| | La Grande Motte/Cannes/Genoa/Barcelona Demo + Winter Demo | INCLUDED x | INCLUDED |
| | TV in main salon | INCLUDED x | INCLUDED |
| | TV in owner's Cabin | INCLUDED x | INCLUDED |
| | | | GBP |
| | | | |
| Total Opt | ions | | 393 918 |
| Total Pur | chase Price (ex-tax) | | 1 212 918 |
| Exception | nal Rebate | | 237 918 |
| • • • | | | |
| i otal Pur | chase Price after Rebate (ex-tax) | | 975 000 |
| | | | |
| Purchase | Date | | |
| Purchase | - Date | | |
| ruichasel | Date | | |
| | | | |

Dealer

*In-water delivery requires electronics and safety equipment (including life-raft) - Freight is an estimation only and can be a combination of freighter + water delivery Prices, standard equipment and options are subject to change without notice - All Sales are subject to signed Purchase & Sales Agreement and Deposit Any modification to the Option List is to be mutually agreed in writing and may result in additional fees - Most recent signed Option List supersedes all previous versions Cape Town Deliveries require the Boat to leave South African waters within 90 days from the hand-over Date of the Boat from Robertson & Caine to the Dealer. Failure to do so will result in Buyer to pay an extra 3% of the selling price of the Boat plus South African VAT

Date

LEOPARD 46

MAIN SPECIFICATIONS

| Length overall Length overall (including Platform) Length Waterline Beam max | 47'5" / 14.44m 46'2" / 14.06m |
|--|----------------------------------|
| Draft (half load) Bridgedeck Clearance (half load) Overall Height above Water Line, including Nav Light Pole (Half load) | ···2'6" / 0.75m |
| Saloon Living Area | 237.6sqft / 22sqm |
| Displacement (Light ship) Load carrying capacity | |
| Fresh water capacity Fuel capacity Holding tank capacity | ··· 475gal / 1800l |
| Standard Engine | Yanmar 4LV250 |
| Engine Max Power Engine Number of Cylinders Note: Speed and range figures can vary depending on measurement conditions and fuel quality. | |

STANDARD BOAT EQUIPMENT LIST

SALOON

Laminate finishes with solid wood trims Folding saloon table with two fixed legs Settee - L-shape Sofa on starboard Wear resistant laminate flooring LED overhead lighting Stowage space under stbd settee cushions Front doorway access to foredeck

GALLEY

Staron galley worktop surfaces Single lever mixer faucet with pull out sprayer Single s/s sink Dish and cutlery drying recess with drainage Double door domestic fridge with icemaker 4-burner hob Convection microwave oven Gas solenoid shut-off valve with control at switch panel & warning light at cooker Gas detectors in each hull connected to alarm in saloon Gas cylinder regulator in dedicated LPG locker Separate garbage bin locker Stowage space in shelf lockers Spice rack 4 x Galley drawers 1 x Pot storage drawers Smoke detector / alarm Carbon monoxidedetector / alarm

INTERNAL HELM

Internal Helm Console - Includes steering and engine controls LED overhead lighting Helm seat c/w backrest integrated with starboard sofa

CABINS x 4 (4 CABIN VERSION)

Laminate finishes Queen size berth (2025mm x 1720mm or 80" x 68") Bedside tables Headboard Hanging locker with lower shelf LED overhead lighting LED reading lamps Overhead roller blinds for privacy Large open shelves Stowage drawers under bunk Large hull window incorporating portlight and slatted blind Transom windows with slatted blind (aft cabins only) Carbon monoxide detector / alarm

OWNER CABIN (3 CABIN VERSION)

Laminate finishes Queen size berth (2025mm x 1720mm or 80" x 68") Bedside tables Headboard Large double door wardrobe Vanity table/desk with drawers under Sliding entrance door with lock LED reading lamps Carbon monoxide detector / alarm Large hull window incorporating portlight and slatted blind Transom windows with slatted blind

HEADS COMPARTMENTS x 4 (4 CABIN VERSION)

Washbasin with basin mixer and Staron top Vanity locker with mirror Towel rail Shower area c/w lever mixer and adjustable shower rose Shower sump with automatic drainage LED Overhead lighting Overhead roller blinds for privacy Hull window with slatted blind Electric Toilets - salt water flush

OWNER CABIN HEADS (3 CABIN VERSION)

Double washbasin with basin mixers and Staron top Mirror Towel rail Separate shower compartment with acrylic enclosure c/w lever mixer and adjustable shower rose Shower sump with automatic drainage LED Overhead lighting Hull window with slatted blind Electric Toilets - salt and water flush

ENGINE & CONTROLS

Double lever throttle / gearshift control Sound deadening panels in engine room 2 x Engine room ventilation fans and ducting 2 x Yanmar 250HP diesel engines 2 x Propellers - 4-blade fixed 2 x Fuel deck fillers 2 x Fuel deck fillers 2 x Fuel filter / water separators 2 x Fuel tanks 489USgal / 1852Ltr total capacity 2 x Exhaust skin fittings (s/s) 2 x Exhaust skin fittings (s/s) 2 x Cooling water inlet strainers 2 x Cooling water temperature sensors with audible alarms at helm 2 x Moisture eliminating grilles DECK FITTINGS

Guard railing (s/s) 2 x Pushpits (s/s) 2 x Pulpit seats (port & stbd) 2000w vertical windlass 10mm gypsy c/w hand held remote Anchor bow roller fitting for primary anchor Anchor bow roller fitting for secondary anchor Anchor chain stopper 1 x Chain locker 1 x Anchor/windlass locker 2 x Foredeck lockers Gas cylinder locker Sliding companionway door Hardtop over aft cockpit U-shaped settee in aft cockpit with cushions and bolster Table in aft cockpit 2 x Stainless Steel Directors chairs Swimming ladder Acrylic smoke grey tinted windows Hatches: 2 x Size 60 Flush Hatch over cabins Portlights: 8 x Size 1 in hull side Foredeck lounging area c/w watertight saloon access door and 2 x fwd facing sun loungers 4 x Drinks holders in forward cockpit 2 x Coachroof handrails (s/s) 2 x Aft hardtop grab handles (s/s) 1 x 300mm mooring cleat in anchor locker 10 x 300mm s/s mooring cleats FLYBRIDGE

Helm station console - Includes steering and enigne controls Staircase from aft cockpit to flybridge with LED courtesy lighting 1 x Staircase stainless steel grab handle U-shaped upholstered settee Wetbar unit with sink and faucet and GRP worktop Life raft locker Stowage locker in wetbar Central fixed cocktail table with drink holder recess Guard railing around aft section of flybridge (s/s) Acrylic windscreen around fwd section of flybridge Hardtop over flybridge Hardtop supports Overhead lighting Drinks holders Sunbed aft of settee Stowage beneath settee cushions Forward facing lounge settee on port

ELECTRICAL INSTALLATION

LED Courtesy lights at stairways LED Bi-colour & stern navlights

- 12v DC switch panel
- 1 x 12v outlet sockets at helm station
- 1 x Double USB sockets at helm station
- 1 x Double USB sockets at nav desk
- 1 x Double USB socket in each cabin
- 1 x Wireless mobile phone charger in saloon
- 4 x House batteries 180Ah deep cycle lead acid type 4 x Engine starter batteries - 100Ah AGM type
- 1 x House battery isolator switch
- 2 x Engine starter battery isolator switches
- 2 x Alternators, standard with engines
- 1 x Electrical spares kit: fuses, relays, fuse holders
- 1 x Electric fog horn with control at helm station
- Digital monitoring including
- 1 x Axiom 7" Multifunction Display at helm for digital systems monitoring 3000W 110V Inverter for convection microwave oven 1200W - 110V or 220V Inverter for refrigerator

PLUMBING INSTALLATION

Hot and cold pressurized fresh water system consisting of: 2 x Water tanks, 185USgal / 700ltr total capacity with level reading and gauges 2 x Fresh water pressure pump with accumulator tank 2 x Hot water cylinders, 13USgal / 50ltr total capacity Transom shower (cold only) 4 x Automatic shower drain pumps (3 for 3-cabin layout) Holding tanks, 45USgal / 170ltr total capacity 2 x Electric bilge pumps (keel sump) with float switches and alarm at switch panel 2 x Manual bilge pumps 2 x High water bilge float switches with alarm at switch panel 2 x Electric bilge pumps (engine room) with flat switch and warning light at switch panel Freshwater connection Water purifying filter system - Purifying water tap located at galley

RUDDER & STEERING SYSTEM

Balanced spade rudders in stainless steel Rudder stock in stainless steel Bearings with fibreglass rudder tube Hydraulic steering system Soft-grip steering wheel

NAVIGATION EQUIPMENT

Compass at helm position

GENERAL EQUIPMENT

6 x Fire extinguishers Automatic Extinguishing system for engine rooms Owner's Operating Manual CE Certification NMMA Certification