

## 2025 Base Price &amp; Option List

Purchaser	Suggested Package 2025		GBP
English	STANDARD BOAT PER STANDARD BOAT EQUIPMENT LIST	220v	779 000
	DESTINATION	St Raphael, South of France	
	NUMBER OF CABINS	4	
	INTERIOR LAY OUT	x	
B4-0001	5 Cabin 5 head layout in lieu of standard 4 cabin 4 head layout	0	
B4-0003	Utility room in lieu of port fwd cabin. Port fwd heads remain for use as a day heads	0	
	INTERIOR		
B4-1001	Upholstery Pack 1 – Faux Leather “Milk”	0	
B4-1003	Upholstery Pack 2 - Faux Leather “Artesian”	0	
B4-1005	Upholstery Pack 3 – Sunbrella “Pebble”	270	x 270
B4-1006	Upholstery Pack 4 – Sunbrella “Stone”	270	
B4-1007	Upholstery Pack 5 – Sunbrella “Dune”	270	
B4-10MM	Upholstery Pack 6 - Silvertex “Macadamia”	270	
B4-1009	Carpets in cabins and corridors – 4 cabin layout. Excludes saloon and galley areas	3 286	
B4-1010	Carpets in cabins and corridors – 5 cabin layout. Excludes saloon and galley areas	3 286	
B4-1300	Full length mirrors for 4-Cabin Layout (4)	1 333	
B4-1305	Full length mirrors for 5-Cabin Layout (5). Can only be taken with option B4-0001	1 667	
B4-1355	Forepeak berth & heads PORT incl. light, fan, large bowl electric toilet, holding tank, shower sump with electric pump, hand basin c/w combination faucet/shower mixer and outlet socket with integrated USB's (subject to option B4-4320 or B4-4325 being selected). Includes air conditioning supply (subject to option B4-5256 or B4-5257 being selected)	6 664	
B4-1400	Safe with digital combination lock	411	
B4-1600	Interior saloon blinds - front & side windows	6 394	
B4-1750	Saloon table convertible to coffee table in addition to standard double bunk conversion	999	x 999
	ENGINES & DRIVE		
B4-2000	Upgrade to Yanmar 80hp engines with sail drives in lieu of std 57hp engines (2)	22 345	x 22 345
B4-2200	Yanmar VCS electronic throttle and engine display	16 160	
	NAVIGATION & ELECTRONICS		
B4-3200	Marine Stereo. Includes Wifi and Bluetooth connectivity. Speakers in saloon (2) & aft cockpit (2). Wired remote control at helm station. - Note: Raymarine MFD's (not included in option) & personal wireless devices (only if connected wirelessly to Raymarine MFD via the Raymarine APP) can control system.	4 389	x 4 389
B4-3220	External speakers in fwd cockpit: 2 x speakers with wired remote and amplifier	1 251	x 1 251
B4-3230	External speakers on coachroof lounge: 4 x speakers with wired remote and amplifier.	1 283	x 1 283
B4-3304	Raymarine Base Pack: Includes Raymarine VHF (Multizone with AIS receiver) at Nav desk & additional VHF handset at helm, p70 colour autopilot display, AXIOM12 Multifunction display in lieu of AXIOM7 Multifunction display at Helmstation. With wind transducer and retractable depth and speed transducers	14 943	x 14 943
B4-3313	AXIOM12 Multifunction display at Nav station in saloon. (Requires Base Pack). Not to be	5 026	
B4-3324	i70 Display at Helmstation (Requires Base Pack)	999	
B4-3335	Autopilot Wireless remote smart controller at Nav station (Requires Base Pack)	1 284	
B4-3341	Digital Radar: includes digital solid state wireless 24nm 18" Radome scanner, c/w mast bracket and genoa protection (Requires Base Pack)	3 665	
B4-3342	Quantum Doppler Radar: Includes digital solid state 24nm Radar with Collision Avoidance detection. Comes with mast bracket and genoa protection (Requires Base Pack)	5 491	
B4-3346	Real/Vision 3D Fishfinder: Includes RV-300 Plastic Thru-Hull transducer and 1 x AXIOM12	7 310	
B4-3370	Rear-view Raymarine camera (1) (Requires base pack)	946	
B4-3371	Fwd facing Raymarine camera (1) (Requires base pack)	946	x 946
B4-3381	Raymarine Automatic Identification System with AIS Transceiver. (Requires Base Pack)	2 669	x 2 669
	ELECTRICAL		
B4-4120	8kW Global Shore Power. Powers fixed equipment only, excludes outlet sockets (outlets included in B4-4320/4325) - Includes 125/250V 50A shore power cable with stainless steel inlet, US 125/250V 50A to Euro 230V 32A adapter, reverse Y adapter, 125/250V 50A inlet, 8kW isolation transformer with boost function and AC switch panel. (Full capacity useable from 2 x US 30A or 1 x European 32A shore power supply. Up to 8kW useable from 1 x US 50A)	9 832	
B4-4125	12kW Global Shore Power. Powers fixed equipment only, excludes outlet sockets (outlets included in B4-4320/4325) - Includes 125/250V 50A shore power cable with stainless steel inlet, US 125/250V 50A to Euro 230V 32A adapter, reverse Y adapter, 125/250V 50A inlet, 12kW isolation transformer with boost function and AC switch panel (Full capacity useable from 1 x US 50A, 2 x US 30A or 1 x European 32A shore power supply)	11 495	x 11 495
B4-4145	Universal outlet sockets in lieu of standard regional sockets. Must be taken with option B4-4320 or B4-4325	0	
B4-4160	Battery Charger - 12V 100A. 90-265V, 45-65Hz Input (Only for boats with shore power or genset options)	2 499	x 2 499
B4-4165	Additional Battery Charger - 12V 100A. 90-265V, 45-65Hz Input (Requires B4-4160)	2 499	
B4-4200	Shaver outlets in heads, 110V with GFI protection – (4) (Only for boats with 110V outlets, option B4-4320)	1 115	

B4-4202	Shaver outlets in heads, 110V with GFI protection – (5) (Only for boats with 110V outlets, option B4-4320)	1 394		
B4-4212	Shaver outlets in heads, combination 220v with transformer current protection—(4). (Only for boats with 220V outlets, option B4-4325)	1 381		
B4-4213	Shaver outlets in heads, combination 220v with transformer current protection—(5). (Only for boats with 220V outlets, option B4-4325)	1 707		
B4-4320	3000W 110V/60Hz inverter. Includes 110V region specific outlet sockets with integrated USB's at specified locations (Only for boats with shore power or genset and option B4-4160. Recommend taking option B4-4515 along with this option)	5 485		
B4-4325	3000W 220V/50Hz inverter. Includes 220V region specific outlet sockets with integrated USB's at specified locations (Only for boats with shore power or genset and option B4-4160. Recommend taking option B4-4515 along with this option)	5 485	x	5 485
B4-4330	Additional 110V Inverter (3000W 110V/60Hz) - 6000W available for outlet sockets. (Only available with option B4-4320. Recommend taking option B4-4525 along with this option)	3 165		
B4-4335	Additional 220V Inverter (3000W 220V/50Hz) - 6000W available for outlet sockets. (Only available with option B4-4325. Recommend taking option B4-4525 along with this option)	3 165		
B4-4500	Upgrade std Lead Acid house & engine batteries to AGM batteries	2 000	x	2 000
B4-4510	One additional AGM house battery (210Ah) 4 Total. (Requires B4-4500)	1 107		
B4-4515	Two additional AGM house batteries (210Ah) 5 Total. (Requires B4-4500)	2 724		
B4-4520	Three additional AGM house batteries (210Ah) 6 Total. (Requires B4-4500). Recommend taking option B4-4165 along with this option	3 685	x	3 685
B4-4525	Five additional AGM house batteries (210Ah) 8 Total. (Requires B4-4500). Recommend taking option B4-4165 along with this option	5 767		
B4-4550	Link engine starter batteries to house batteries. Operated from push button at helm (Not to be ordered with option B4-5750)	218		
B4-4560	Lithium ion house batteries in lieu of lead acid batteries - Includes 4 x 200Ah lithium ion batteries (LiFePO4), 100A charging capacity (2 x 50A IP43 Chargers), battery monitor & management system with colour display. (Only for boats with shore power or genset options) Recommend taking option B4-5750 along with this option. Not to be ordered with B4-4160, B4-4165 or B4-4500)	19 022		
B4-4602	Ventilation fans in cabins only for 4 cabin layout (4)	641	x	641
B4-4604	Ventilation fans in cabins only for 5 cabin layout (5)	784		
B4-4900	Windlass "up" footswitch	243		
B4-5210	Genset - Northern Lights 9kW supplied from aft port fuel tank, fuel transfer ability from stb to port tank. Only for boats with shore power pack	32 485	x	32 485
B4-5215	Provision for genset (includes fuel supply, ventilation blower, auxiliary fuel/water pumps, light, exhaust & cooling water systems with through hull fittings. Excludes genset unit & control panel, battery & AC wiring). Only for boats with shore power pack	6 831		
B4-5256	Chilled Water Air Conditioning (4 Cabin) - Frigomar BLDC chiller unit (70000BTU/h maximum capacity). Includes 2 x 12000BTU/h, 3 x 5000BTU/h & 1 x 8000BTU/h air handlers with 5 x digital control panels. Raw water and coolant circulation pumps. (Only for boats with shore power or genset options)	34 500	x	34 500
B4-5257	Chilled Water Air Conditioning (5 Cabin) - Frigomar BLDC chiller unit (70000BTU/h maximum capacity). Includes 2 x 12000BTU/h & 5 x 5000BTU/h air handlers with 6 x digital control panels. Raw water and coolant circulation pumps. (Only for boats with shore power or genset options)	36 424		
B4-5260	Provision for air conditioning (4 cabin). Includes ducting, vents, raw water hoses with thru hull fittings & strainer. Excludes chiller unit, pumps, air handlers, controllers, wiring & chilled water piping	3 125		
B4-5265	Provision for air conditioning (5 cabin). Includes ducting, vents, raw water hoses with thru hull fittings & strainer. Excludes chiller unit, pumps, air handlers, controllers, wiring & chilled water piping	3 443		
B4-5400	Electric main sheet winch - (1) (in lieu of std manual winch) - Recommend taking B4-4515 along with this option	4 165	x	4 165
B4-5450	Electric Furling System - For Genoa Only - Recommend taking option B4-4515 along with this option	14 577		
B4-5615	Motorised TV lift at nav station (excludes TV) - (requires B4-4320 or B4-4325 for AC power requirements)	2 092	x	2 092
B4-5670	Provision for TV in saloon - comes with AC outlet - (requires B4-4320 or B4-4325 for AC power requirements)	202		
B4-5680	Provision for TV in owner's cabin (4-cabin layout only) - swing bracket and AC outlet - (requires B4-4320 or B4-4325 for AC power requirements)	485	x	485
B4-5684	Provision for TV in all cabins (4-cabin layout only) - swing bracket and AC outlet - (requires B4-4320 or B4-4325 for AC power requirements)	1 937		
B4-57MM	Microwave oven in galley (110V). Must be taken with: 110V inverter (B4-4320) and Battery Charger (B4-4160).	317		
B4-58MM	Microwave oven in galley (220V). Must be taken with: 220V inverter (B4-4325) and Battery Charger (B4-4160).	317		
B4-5700	Solar panels 100w each fitted to hard top - (2)	3 401		
B4-5710	Solar panels 100w each fitted to hard top - (4)	6 656		
B4-5715	Solar panels 100w each fitted to hard top - (6)	8 919		
B4-5750	Sterling alternator to battery charger. Includes button at helm to link engine batteries to house batteries (Not to be ordered with option B4-4550)	1 616		
B4-5800	Underwater Lights - 2 x Blue mounted in stern	4 165		

#### PLUMBING

B4-6151	Electric fresh water flushing toilets: Sanimarin in lieu of electric salt water flushing toilets for 4 cabin layout	0	x	0
B4-6152	Electric fresh water flushing toilets: Sanimarin in lieu of electric salt water flushing toilets for 5 cabin layout	0		
B4-6410	11 Gal Water Heaters in lieu of 6 Gal Water Heaters - (2) 220V	303		
B4-6500	Watermaker: Spectra Newport 400 (12 volt), 63 ltr/17 USgal per hr; incl MPC-3000 controller system	21 573		

B4-6510	Watermaker: Spectra Newport 400 (12 volt), 63 ltr/17 USgal per hr; incl MPC-3000 controller system plus optional Z-ION membrane protection system.	23 938		
B4-6515	Sea water inlet seacock with hose led above the waterline (for future watermaker installation)	462		
B4-6560	Watermaker: Sea Recovery (220V) 117 ltr/31 US gal per hour (Only for boats with shore power option)	19 263	x	19 263
B4-6600	Washer/dryer (110V) installed in Port corridor. Must be taken with: 110V inverter (B4-4320) and Battery Charger (B4-4160)	3 332		
B4-6610	Washer/dryer (220V) installed in Port corridor. Must be taken with: 220V inverter (B4-4325) and Battery Charger (B4-4160)	3 332		
B4-6615	Washer/dryer (220V) installed in Utility Cabin (Only for boats with option B4-0003, Not to be ordered with B4-6610) Must be taken with: 220V inverter (B4-4325) and Battery	3 332	x	3 332
B4-6620	Washer/dryer (110V) installed in Utility Cabin (Only for boats with option B4-0003, Not to be ordered with B4-6610) Must be taken with: 110V inverter (B4-4320) and Battery	3 332		
B4-6700	110V Dishwasher in Galley (Can only be taken with Genset or Shore Power Options). Must	2 499		
B4-6710	220V Dishwasher in Galley (Can only be taken with Genset or Shore Power Options). Must be taken with: 220V inverter (B4-4325) and Battery Charger (B4-4160). Cannot be taken	3 333		
B4-6800	Deck wash fitting & pump - dual fresh/salt water system	1 010	x	1 010
B4-6850	Stern shower: Hot/cold water in lieu of cold only	305	x	305

#### HEATING, REFRIGERATION & GAS

B4-7710	Refrigerator in aft cockpit 12v. Not to be ordered with options B4-7751, B4-7750 or B4-8200)	2 084	x	2 084
B4-7731	Electric Grill: 220V built into wet locker in aft cockpit (Only for boats with shore power option)	2 229	x	2 229
B4-7740	Wine cooler (110V) in galley (Can only be taken with option B4-4320. Not to be ordered with B4-6700, B4-6710 or B4-7741, B4-7757, B4-7758, B4-7760)	6 056		
B4-7741	Wine cooler (220V) in galley (Can only be taken with option B4-4325. Not to be ordered with B4-6700, B4-6710 or B4-7741, B4-7757, B4-7758, B4-7760)	5 699		
B4-7750	Icemaker (110V) installed in aft cockpit - in lieu of cockpit storage locker (Must be taken with option B4-4320. Not to be ordered with options B4-7710, B4-7750 or B4-8200)	2 835		
B4-7751	Icemaker installed in aft cockpit (220V) - in lieu of cockpit storage locker (Only for boats with shore power option) - Not to be ordered with options B4-7710, B4-7750 or B4-8200	2 835		
B4-7755	Icemaker installed in galley 110V (Not to be ordered with B4-6700, B4-6710 or B4-7740, B4-7741, B4-7756, B4-7758, B4-7760)	2 835		
B4-7756	Icemaker installed in galley 220V. Not to be ordered with B4-6700, B4-6710 or B4-7740, B4-7741, B4-7755, B4-7758, B4-7760	2 835		
B4-7758	Refrigerator installed in galley 12v. Not to be ordered with B4-6700, B4-6710 or B4-7740, B4-7741, B4-7755, B4-7758, B4-7760	2 530		
B4-7760	Freezer installed in galley 12v. Not to be ordered with B4-6700, B4-6710 or B4-7740, B4-	2 530	x	2 530

#### DECK & HULL

B4-8001	Exterior Pack 1 – Charcoal (Grey)	0	x	0
B4-8002	Exterior Pack 2 – Captain's Navy (Blue)	0		
B4-8110	Helmsman enclosure - includes shade cloth sides and back	5 690		
B4-8115	Removable helm seat spray dodger	585		
B4-8120	Aft cockpit side and back shade curtains	2 451		
B4-8150	Coach roof side window removable shade covers	1 063		
B4-8200	Shoe locker under helm platform. Not to be ordered with option B4-7710, B4-7750 or B4-7754	883		
B4-8300	Aft Cockpit Cushions (Seats only without backrests) - Not to be ordered with B4-8301	6 728		
B4-8301	Aft Cockpit Cushions (Seats & backrests) - Not to be ordered with B4-8300	9 572	x	9 572
B4-8305	Fwd Cockpit Cushions (Seats only without backrests) - Not to be ordered with B4-8306	2 604		
B4-8306	Fwd Cockpit Cushions (Seats & backrests) - Not to be ordered with B4-8305	4 568	x	4 568
B4-8310	Helm Seat Cushion	661	x	661
B4-8315	Foredeck Lounging Cushions - Full Foredeck	3 724		
B4-8316	Foredeck Lounging Cushions - Partial Foredeck (Stbd Only) - not to be ordered with B4-8315	1 972		
B4-8350	S/S cockpit table stools - (2)	1 032		
B4-8400	S/S dive bottle rack - holds 4 bottles	1 047		
B4-8500	Leather covered steering wheel	402		
B4-8505	Black powder coated steering wheel	233		
B4-8600	Custom S/S davit system with tackle c/w electric winch	5 412		
B4-8630	Winch type lifting platform with folding chocks	54 677	x	54 677
B4-8635	Winch type lifting platform with fixed chocks	54 677		
B4-8800	Teak aft cockpit table in lieu of standard GRP table	5 286		
B4-8900	Composite teak decking (Colour - Weathered with Black Caulking): aft & fwd cockpits, helm platform, transom steps, side deck steps and coachroof lounge	19 574		
B4-8901	Composite teak decking (Colour - Weathered with White Caulking): aft & fwd cockpits, helm platform, transom steps, side deck steps and coachroof lounge	19 574		
B4-8910	Composite teak decking (Colour - Weathered with Black Caulking): aft & fwd cockpits, helm platform, transom steps, side deck steps, coachroof lounge and lifting platform. Only for boats with option B4-8630. B4-8635	22 491		
B4-8911	Composite teak decking (Colour - Weathered with White Caulking): aft & fwd cockpits, helm platform, transom steps, side deck steps, coachroof lounge and lifting platform. Only for boats with option B4-8630. B4-8635	22 491		

#### SAILS & RIGGING

B4-9100	Asymetric spinnaker running rigging	1 033		
B4-9300	Standard 1.5oz Asymmetric spinnaker - as per exterior pack choice	7 162		
B4-9400	Boom Cover (stackpack) - as per exterior pack choice	2 164	x	2 164
B4-9500	Bowsprit c/w roller furler (incl. running rigging excl. sail/s)	7 353	x	7 353
B4-9505	Code 0 (All round light weather sail - Sheeted inside or outside) - sail only	7 608		
B4-9510	Code D (Downwind light weather sail - Sheeted outside) - sail only	9 209		
B4-9700	Square Top mainsail with Karver Hook in lieu of std main can only be taken with B4-0002	2 003		

PERFORMANCE OPTIONS			
B4-2115	Gori Single Pitch folding propeller upgrade for optional Yanmar 80hp engines w/saildrive in lieu of std fixed props (2)	6 409	
B4-9530	Upgraded Super-T lines including main halyard, genoa halyard, topping lift, reef lines and code 0 halyard & furler control	3 350	
B4-9540	Upgraded Ultra X Dyneema Norlam high performance North Sails (square top main and genoa incl. Karver hook) in lieu of standard main sail and genoa – as per exterior pack. Recommend taking option B4-9530 with this option	24 452	
B4-9550	Upgraded Black Aramid Fil Laminate high performance North Sails Code 0 sail (All round light weather sail – sheeted inside or outside) – sail only. Recommend taking option B4-9530 with this option	10 802	
B4-9555	Upgraded CDT Mylar with Faffeta high performance North Sails Code D sail (Downwind light weather sail – sheeted outside) – sail only. Recommend taking option B4-9530 with this option	14 453	
B4-9560	Upgraded Norlon high performance North Sails asymmetric spinnaker complete with snuffer – as per exterior pack choice	9 634	

GENERAL EQUIPMENT			
B4-9903	55lb (25kg) Delta anchor c/w 165ft (50m) chain	1 584	x 1 584
B4-9905	55lb (25kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain	2 482	
B4-9911	35lb (16kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp	916	
B4-9914	230ft (70m) anchor chain in lieu of 165ft (50m) chain	487	x 487
B4-9915	330ft (100m) anchor chain in lieu of 165ft (50m) chain	1 115	
B4-9918	Anchor bridle, shackles and hook	441	x 441
B4-9920	Blue/white fenders (6), white mooring lines (4, 16mm x 10m), white spring lines (2, 16mm x	833	
B4-9930	Black fenders (6), black mooring lines (4, 16mm x 10m), black spring lines (2, 16mm x	833	x 833

COMMISSIONING & DELIVERY			
B4-9950	Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbour, launching & stepping of mast, installation of sails & rigging, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE USCG Safety Package including 8 man life raft, U-bolts and tie downs	20 323	x 20 323
	CE Safety Package including 8 man life raft, U-bolts and tie downs	4 035	
	Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A Water Delivery *	4 562	x 4 562
		4 134	
	Post delivery commissioning including 3 days of Dockage at Delivery Location	32 593	x 32 593
	Freight Delivery *	8 121	x 8 121
		47 407	

GBP

<b>Total Options</b>	<b>327 319</b>
<b>Total Purchase Price (ex-tax)</b>	<b>1 106 319</b>
<b>Exceptional Rebate</b>	<b>137 319</b>
<b>Total Purchase Price after Rebate (ex-tax)</b>	<b>969 000</b>

Purchaser	Date
Purchaser	Date
Dealer	Date

\*In-water delivery requires electronics and safety equipment (including life-raft) - Freight is an estimation only and can be a combination of freighter + water delivery  
Prices, standard equipment and options are subject to change without notice - All Sales are subject to signed Purchase & Sales Agreement and Deposit  
Any modification to the Option List is to be mutually agreed in writing and may result in additional fees - - Most recent signed Option List supersedes all previous versions  
Cape Town Deliveries require the Boat to leave South African waters within 90 days from the hand-over Date of the Boat from Robertson & Caine to the Dealer.  
Failure to do so will result in Buyer to pay an extra 3% of the selling price of the Boat plus South African VAT

## MAIN SPECIFICATIONS

Length overall.....	50'6" / 15.40m
Length waterline.....	48'11" / 14.9m
Beam max.....	26'5" / 8.04m
Draft (half load).....	5'3" / 1.61m
Bridgedeck Clearance (half load).....	3'5" / 1.03m
Mast Height (half load).....	77'2" / 23.51m
Saloon Living Area.....	237.6sqft / 22sqm
Displacement (Light ship).....	41,888lbs / 19,000kg
Load carrying capacity.....	15,432lbs / 7,000kg
Main sail area (standard).....	964sqft / 89.6sqm
Genoa Area.....	688sqft / 63.9sqm
Total upwind area (standard).....	1652sqft / 153.5sqm
Code 0 area.....	970sqft / 90.1sqm
Code D area.....	1690sqft / 157sqm
Fresh water capacity.....	185gal / 700l
Fuel capacity.....	243gal / 920l
Holding tank capacity.....	45gal / 170l

## STANDARD BOAT EQUIPMENT LIST

**SALOON**

Laminate finish with solid wood trims  
Wear resistant laminate flooring  
Saloon table - convertible to bunk complete with insert mattress  
U-shape settee  
LED overhead lighting  
Concealed overhead rope lighting  
Overhead window with blind  
Ventilation through forward facing port lights  
Stowage space under settee cushions  
Forward doorway access to forward cockpit and foredeck  
Access to aft cockpit through sliding door  
2 x Loose Ottoman stools (upholstered) to be used as:  
Chart table seat  
Settee seating  
Vanity table seat in aft stbd cabin (4-cabin layout)  
Joinery staircases to hull accommodation

**GALLEY**

High quality galley worktop surfaces  
Single lever mixer faucet with pull-out sprayer  
Large bowl s/s sink  
Dish and cutlery drying recess with drainage  
Cover for drying recess  
Vitrifridge 2 drawer front-opening fridge/freezer 56USgal / 212 Ltr  
Miele 4-burner gas hob  
Force 10 gas oven  
Gas solenoid shut-off valve with control & warning light at cooker  
Gas detectors in each hull connected to alarm in saloon  
Gas cylinder regulator in dedicated LPG locker  
Separate garbage bin locker  
Stowage space in shelf lockers  
Stowage space under floorboards  
Drawer under oven  
3 x Drawers alongside oven  
Outboard galley shelf with provision for microwave

**NAVIGATION CONSOLE**

Chart table with storage locker under hinged lid  
LED overhead lighting  
Backrest s/s railing  
Storage locker under chart table

**STANDARD CABINS (x3)**

Laminate finish with solid wood trims  
Wear resistant laminate flooring  
Double berths:

Forward Port Bunk (59in / 1.50m x 80in / 2.03m)  
Forward Starboard Bunk (68in / 1.72m x 80in / 2.03m)  
Aft Port Bunk (68in / 1.72m x 80in / 2.03m)  
Bedside tables (starboard forward and port aft cabin only)  
Bedside cave locker inboard (port forward & aft cabins only)  
Hanging locker  
Large open shelves-  
Stowage drawer under each bunk  
1 in aft cabins  
2 in fwd port cabin  
3 in fwd stbd cabin  
Stowage space under floorboards  
LED overhead lighting  
Concealed overhead rope lighting  
Concealed under bunk rope lighting  
2 x LED reading lamps in each cabin  
Overhead roller blinds for privacy  
Large hull window incorporating portlight and pleated blind  
Transom portlight in aft cabin with pleated blind

#### **OWNER CABIN (4-CABIN)**

Laminate finish with solid wood trims  
Wear resistant laminate flooring  
Double berth (68in / 1.72m x 80in / 2.03m)  
Bedside table outboard  
Bedside cave locker inboard  
1 x Full height hanging locker  
1 x Drawer unit with 2 x drawers  
Vanity table/desk with storage locker and mirror under lid  
Fold up vanity mirror  
Stowage drawer under bunk  
Stowage space under floorboards  
Sliding entrance door with lock  
Large mirror behind sliding entrance door  
Glass divider with sliding panel  
LED overhead lighting  
Concealed overhead rope lighting  
Concealed under bunk rope lighting  
2 x LED reading lamps over bunk  
Large hull window incorporating portlight and pleated blind  
Transom portlight in aft cabin and pleated blind

#### **MID CABIN (5-CABIN OPTION B4-0001)**

Laminate finish with solid wood trims  
Wear resistant laminate flooring  
Double berth (68in / 1.72m x 80in / 2.03m)  
Bedside table forward  
1 x Hanging locker  
1 x Stowage drawers under bunk  
LED overhead lighting  
Concealed overhead rope lighting  
Concealed under bunk rope lighting  
2 x LED reading lamps  
Overhead roller blinds for privacy  
Hull window incorporating portlight and pleated blind

#### **STARBOARD AFT CABIN (5-CABIN OPTION B4-0001)**

Laminate finish with solid wood trims  
Wear resistant laminate flooring  
Double berth (68in / 1.72m x 80in / 2.03m)  
1 x Hanging locker  
Bedside table outboard  
Bedside cave locker inboard  
1 x Stowage drawer under bunk  
LED overhead lighting  
Concealed overhead rope lighting  
Concealed under bunk rope lighting  
2 x LED reading lamps  
Overhead roller blinds for privacy  
Large hull window incorporating portlight and pleated blind  
Transom portlight in aft cabin and pleated blind

#### **HEADS COMPARTMENTS (ALL CABINS)**

Washbasins with basin mixer and high quality worktop  
Under-basin locker with toilet roll holder  
Vanity locker with mirror  
Double towel rail  
Sliding or hinged heads door  
Dedicated trashcan locker  
Shower compartment c/w lever mixer and adjustable shower rose  
Shower sump with automatic drainage system  
LED Overhead lighting  
Portlight with roller blind  
Overhead roller blinds for privacy  
Electric sea water flush toilet

## **PORT FOREPEAK**

Stowage space with access from deck

## **STBD FOREPEAK**

Stowage space with access from heads

## **ENGINE & CONTROLS**

Double lever throttle / gearshift control  
Sound deadening panels in engine room  
2 x Engine room ventilation fans  
2 x Yanmar 57hp diesel engines with sail drives  
2 x Propellers – fixed blade  
2 x Fuel deck fillers  
2 x Fuel filter / water separators  
2 x Fuel tanks 243USgal / 920Ltr total capacity  
2 x Exhaust skin fittings (s/s)  
2 x Exhaust water locks/mufflers  
2 x Cooling water inlet strainers  
2 x Exhaust cooling water temperature sensors with audible alarms at helm

## **PLUMBING INSTALLATION**

Hot and cold pressurized fresh water system consisting of:  
2 x Water tanks, 185USgal / 700ltr total capacity with level reading and gauges  
1 x Fresh water pressure pump with accumulator tank  
2 x Hot water cylinders 12USgal / 46ltr total capacity  
Transom shower (cold only)  
4 x Automatic shower drain pumps (5 for 5-cabin layout)  
Holding tanks, 44USgal / 165ltr total capacity (5-cabin - 55USgal/ 210ltr total)  
2 x Electric bilge pumps (keel sump) with float switches and alarm at switch panel  
2 x Manual bilge pumps with (keel sump)  
2 x High water bilge float switches with alarm at switch panel  
2 x Electric bilge pumps (engine room) with float switch and warning light at switch panel  
Water purifying filter system (Purifying water tap located at galley)

## **RUDDER & STEERING SYSTEM**

High performance spade rudders  
Self-aligning bearings  
Chain-and-wire steering system c/w bulkhead steering unit and brake  
Destroyer-type steering wheel  
Emergency tiller (s/s)

## **ELECTRICAL INSTALLATION**

Digital monitoring with 7" Multi-function Display  
LED Courtesy lights at stairways  
Bi-colour & stern navigation lights  
1 x 12v outlet socket at helm station  
2 x USB outlets at chart table  
2 x USB outlets at fridge locker  
2 x USB outlets at saloon settee  
2 x USB outlets in each cabin  
3 x House batteries - 180Ah deep cycle lead acid type  
1 x House battery isolator switch  
2 x Engine starter battery isolator switches  
2 x Alternators, standard with engines  
1 x Electrical spares kit: fuses, relays, fuse holders

## **DECK FITTINGS**

Guardwires with stanchions, bases, port & starboard side gates  
Guardwires across bow and stern  
1600w vertical windlass with capstan, 10mm gypsy & hand-held remote  
Anchor bow roller fitting  
Anchor chain stopper  
Life raft locker with convertible fore/aft seat bolster  
Sliding companionway door/window  
Sliding hatch over forward cockpit steps  
Hardtop over forward and aft cockpit complete with LED lighting  
Hardtop bimini over helm with supports and LED light  
Folding swimming ladder c/w teak steps  
Emergency ladder on port transom  
Aft Cockpit table  
Fold down Forward Cockpit table  
Mainsheet track and traveller system  
Mainsheet system (3:1 purchase)  
Trampoline (white Aquabatten Supertramp)  
Helm seat with upholstered backrest  
Acrylic smoke grey tinted windows  
Hardtop supports  
Hatches:  
5 x Size 10 Flush Hatch over heads  
5 x Size 44 Flush Hatch over cabins  
1 x Size 60 Flush Hatch over port forepeak (includes mushroom cowl)  
Portlights:  
2 x Size 5 in windscreen  
8 x Size 1 in hull side  
2 x Custom in transom  
1 x Anchor chain bin

1 x Anchor/windlass locker  
3 x Foredeck/forward cockpit lockers  
Forward access to foredeck c/w watertight Lewmar door  
2 x Pulpits with seats  
2 x Pushpits  
2 x Coachroof handrails  
2 x Hardtop grab handles  
2 x Transom grab handles  
9 x 260mm mooring cleats  
2 x Lewmar winch handles  
2 x Primary electric winchs (black anodised alloy)  
1 x Mainsheet winch (black anodised alloy)  
2 x Lewmar genoa cars with pin stop  
2 x Lewmar genoa tracks  
1 x Halyard clutch at helm (mainsail)  
1 x Halyard clutch at helm (gennaker)  
2 x Genoa sheet clutch at helm  
1 x Main sheet clutch at helm  
2 x Traveller clutch at helm  
2 x Main sheet clutch at helm  
2 x Reef clutch at helm  
1 x Clutch and cleat on mast for genoa halyard  
1 x Furler clutch  
3 x Drinks holders - 2 in fwd cockpit and 1 at helm  
Rope bag at helm with integral winch handle pocket

#### **COACHROOF LOUNGE**

L-shaped settee with cushions and backrest  
Sunbed mattress  
Table  
Triple beverage holder  
2 x pop-up lights

#### **NAVIGATION EQUIPMENT**

Compass at helm position

#### **RUNNING RIGGING**

1 x Main sheets (3:1 purchase)  
2 x Traveller control lines (3:1 prchase)  
2 x Genoa sheets  
3 x Halyards (main, genoa & spare)  
2 x Single line reefs lead aft  
Main boom topping lift

#### **MAST, RIGGING & SAILS**

Natural anodized mast  
Natural anodized crossbeam c/w mooring cleats  
Wind indicator  
Genoa furler  
Mainsail full battened c/w 2 rows reefs  
Furling genoa  
2 x Additional spare 12v wires in mast  
Additional spare conduit with messenger in mast

#### **GENERAL EQUIPMENT**

6 x Fire extinguishers  
Automatic Extinguishing system for engine rooms  
Owner's Operating Manual  
CE Certification  
NMMA Certification