

2024 Base Price & Option List

| Purchaser | Cannes + Genoa + Barcelona Boat Show & Winter DEMO 2024 | #187 / B5104 | | EURO |
|--------------------|---|-----------------|--------|-----------|
| English | STANDARD BOAT PER STANDARD BOAT EQUIPMENT LIST | 220v | | 1 199 000 |
| | DESTINATION | St Raphael, S | outh (| of France |
| | NUMBER OF CABINS | 3 | | |
| | INTERIOR | Ī | v | |
| B5-1001 | Upholstery Pack 1 – Faux Leather "Milk" | 0 | ^ | |
| B5-1003 | Upholstery Pack 2 – Faux Leather "Artesian" | 0 | | |
| B5-1005 B5-1006 | Upholstery Pack 3 – Sunbrella "Pebble" Upholstery Pack 4 – Sunbrella "Stone" | 592 592 | Х | 592 |
| B5-1007 | Upholstery Pack 4 – Sunbrella "Jone" | 592 | | |
| B5-10MM | Upholstery Pack 6 - Silvertex "Macadamia" | 592 | | |
| B5-1008 | Carpets in cabins and corridors – 3 cabin layout. Excludes saloon and galley areas | 4 351 | Х | OFFERED |
| B5-1009 B5-1015 | Carpets in cabins and corridors – 4 cabin layout. Excludes saloon and galley areas Carpets in main saloon. Excludes galley area | 4 351 1 294 | х | OFFERED |
| B5-1300 | Full length mirrors for 4-Cabin Layout (4) | 1 715 | | |
| B5-1301 | Full length mirrors for 3-Cabin Layout (3) | 1 286 | Х | 1 286 |
| B5-1352 | Forepeak berth & heads - port forepeak includes mattress (1), A/C electric outlet (1), USB ports (2), Fire Extinguisher (1), Air Conditioning (subject to option B5-5256 or B5-5257 being | 8 560 | Х | 8 560 |
| | selected). Stbd forepeak includes basin with faucet & mirror, electric (Freshwater) heads with | | | |
| | dedicated holding tank. Shower with automatic sump drain. Access from deck hatches only. | | | |
| B5-1400 | Safe with digital combination lock | 528 | | |
| B5-1600 B5-1760 | Interior saloon blinds - front & side windows Coffee table in lieu of standard folding saloon table | 8 509 0 | Х | 8 509 |
| B5-1700 | Upholstered ottoman at study desk 3-Cabin Layout as per interior pack choice | 695 | х | 695 |
| | | i | | |
| B5-2500 | ENGINES & DRIVE Bow thruster - Fixed tunnel thruster in port bow. | 14 992 | х | 14 992 |
| B5-2505 | Additional bow thruster controller at Internal Helm (Requires B5-2500). Not to be ordered with | 789 | X | 14 992 |
| | option B5-2510/2515 | | | |
| B5-2510 | Yanmar JC20 Joystick at Flybridge Helm: Combining Engine and Bow Thruster control | 10 057 | | |
| | (Requires B5-2500). Bow thruster controller from option B5-2500 to be installed at Internal Helm | | | |
| B5-2515 | instead of Flybridge helm. Not to be ordered with option B5-2505/15 Yanmar JC20 Joystick at Flybridge Helm and Internal Helm: Combining Engine and Bow | 16 355 | | |
| | Thruster control (Requires B5-2500). Bow thruster controller from option B5-2500 will not be installed on hoat. Not to be ordered with option B5-2505/10 | | | |
| | NAVIGATION & ELECTRONICS | | · | |
| B5-3200 | Marine Stereo. Includes Wifi and Bluetooth connectivity. Speakers in saloon (2), aft cockpit (2), | 4 815 | Х | 4 815 |
| | fwd. cockpit (2) & flybridge (2). Wired remote controls in fwd. cockpit (1), aft cockpit (1) & | | | |
| | flybridge (1). – Note: Raymarine MFD's (not included in option) & personal wireless devices (only if connected wirelessly to Raymarine MFD via the Raymarine APP) can control system | | | |
| B5-3304 | Raymarine Base Pack: includes VHF (Multizone with AIS receiver) at nav desk & additional VHF | 21 071 | х | 21 071 |
| | handset at helm, p70 colour autopilot display, RS150 GPS, AXIOM XL16 Multifunction display in | | | |
| | lieu of AXIOM7 Multifunction display at Helmstation. With retractable depth transducer | | | |
| B5-3310 B5-3311 | Additional AXIOM XL16 Multifunction display with WiFi at helm (Requires Base Pack) AXIOM XL19 Multifunction display with WiFi at helm in lieu of an AXIOM XL16 Multifunction | 11 198 7 301 | Х | 11 198 |
| B5-3312 | Additional AXIOM XL19 Multifunction display with WiFi at helm (Requires Base Pack. Can only | 18 183 | | |
| | be taken in conjenction with B5-3311. Not to be taken with B53310) | | | |
| B5-3313 | AXIOM12 Multifunction display at Internal station in saloon. (Requires Base Pack). Cannot be | 7 118 | х | 7 118 |
| B5-3335 | taken with B5-4130 or B5-4140 unless B5-3400 option is taken. Not to be ordered with B5-3346. Autopilot Wireless remote smart controller at Nav station (Requires Base Pack) | 1 650 | | |
| B5-3336 | p70R Rotary Autopilot controller and second throttle at Nav station (Requires base Pack). Not to | 9 671 | | |
| | be taken with B5-3400. | | | |
| B5-3341 | Digital Radar: includes digital solid state wireless 24nm 18" Radome scanner (Requires Base | 4 708 | | |
| B5-3342 B5-3346 | Quantum Doppler Radar: Includes digital solid state 24nm Radar with Collision Avoidance RealVision 3D Fishfinder: Includes RV-300 Plastic Thru-Hull transducer and 1 x AXIOM12 RV | 7 192 8 637 | | |
| B5-3370 | Rear-view Raymarine camera (1) (Requires base pack) | 1 215 | Х | 1 215 |
| B5-3371 | Fwd facing Raymarine camera (1) with Augmented Reality function including AR200 GPS | 1 421 | х | 1 421 |
| B5-3381 | (Requires base pack) in lieu of base pack GPS Raymarine Automatic Identification System with AIS Transceiver. (Requires Base Pack) | 3 426 | х | 3 426 |
| 20 000 . | | 1 | | 0 120 |
| DE 4400 | ELECTRICAL | 40.007 | | |
| B5-4120 | 8kW 220V Isolated Shore Power - Includes 8kW isolation transformer with voltage booster function. Powers fixed equipment only, excludes outlet sockets (outlets included in inverter | 12 827 | | |
| | options). Includes retractable 125/250V 50A shore power cable with stainless steel inlet and AC | | | |
| | switch panel. Up to 8kW available from 1 x US 110/220V 50A shore supply. (B5-4127 and/or B5- | | | |
| DE 4405 | 4128 can be taken with this option) | 45.400 | | 45.400 |
| B5-4125 | 12kW 220V Isolated Shore Power - Includes 12kW isolation transformer with voltage booster | 15 488 | Х | 15 488 |
| | function. Powers fixed equipment only, excludes outlet sockets (outlets included in inverter option). Includes retractable 125/250V 50A shore power cable with stainless steel inlet and AC | | | |
| | switch panel. 11kW available from 1 x US 110/220V 50A shore supply. (B5-4127 and/or B5- | | | |
| De 4:05 | 4128 can be taken with this ontion) | | | |
| B5-4127 | US Reverse Y Shore Power Adapter. For connection to 2 x US 30A shore supplies. 6.6 kW | 779 | | |
| B5-4128 | available power European Shore power adapter. For connection to 1 x 220V 32A power supply. 7kW available | 619 | х | 619 |
| B5-4130 | Digital Switching (8kW Shore Power). Includes 1 x AXIOM12 Multifunction display at nav desk. 2 | | ^ | 013 |
| _000 | x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems. | 10 7 97 | | |
| | Monitoring of all Batteries, all fluid levels, and critical Alarms. GSM connectivity for remote | | | |
| | monitoring and control. (Requires Base Pack, B5-3304). Cannot be taken with B5-3313 unless | I | 1 | |

| B5-4140 | Digital Switching (12kW Shore Power). Includes 1 x AXIOM12 Multifunction display at nav desk. 2 x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems. Monitoring of all Batteries, all fluid levels, and critical Alarms. GSM connectivity for remote monitoring and control. (Requires Base Pack, B5-3304). Cannot be taken with B5-3313 unlessw | 16 797 | х | 16 797 |
|--------------------|---|-----------------|----|--------|
| B5-4145 | B5-3400 ontion is taken Universal outlet sockets in lieu of standard regional sockets. Must be taken with option B5-4320 | 0 | х | 0 |
| B5-4148 | or B5-4325 Cordless Remote control (keyring type) for retractable shore power cable. Includes 1 remote | 832 | х | 832 |
| B5-4160 | control. (Only for boats with shore power option) Battery Charger - 12V 100A. 90-265V, 45-65Hz Input (Only for boats with shore power or genset | 3 212 | х | 3 212 |
| B5-4165 | options) Additional battery Charger - 12V 100A. 90-265V, 45-65Hz Input (Only for boats with shore power | 3 212 | | |
| B5-4200 | or denset options) (Requires B5-4160) Shaver outlets in heads, 110V with GFI protection—(4) (Only for boats with 110V systems, option B5-4320) | 1 434 | | |
| B5-4201 | Shaver outlets in heads, 110V with GFI protection for 3 cabin layout — (3) (Only for boats with 110V systems. option B5-4320) | 1 074 | | |
| B5-4210 | Shaver outlets in heads, combination 220V/110V with transformer current protection—(4) (Only for boats with 220V systems, option B5-4325) | 1 774 | | |
| B5-4211 | Shaver outlets in heads, combination 220V/110V with transformer current protection for 3 cabin layout—(3) (Only for boats with 220V systems, option B5-4325) | 1 343 | Х | 1 343 |
| B5-4320 | 3000W 110V/60Hz inverter. Includes 110V region specific outlet sockets with integrated USB's at specified locations (Only for boats with shore power or genset and option B5-4160. | 7 045 | | |
| B5-4325 | Recommend taking option B5-4515 along with this option\ 3000W 220V/50Hz inverter. Includes 220V region specific outlet sockets with integrated USB's | 7 045 | х | 7 045 |
| | at specified locations (Only for boats with shore power or genset and option B5-4160. Recommend taking option B5-4515 along with this option) | | | |
| B5-4400 | Battery monitor to provide status on house batteries. Not to be taken with options B5-4130, B5-4140 and B5-4560 | 556 | | |
| B5-4500 B5-4510 | Upgrade std Lead Acid house batteries to AGM batteries One additional ACM house battery (210Ab) 5 Total (Paguiros P5 4500) | 3 859 1 421 | Х | 3 859 |
| B5-4510 B5-4515 | One additional AGM house battery (210Ah) 5 Total. (Requires B5-4500) Two additional AGM house batteries (210Ah) 6 Total. (Requires B5-4500) | 3 499 | х | 3 499 |
| B5-4525 | Four additional AGM house batteries (210Ah) 8 Total. (Requires B5-4500) | 5 968 | | |
| B5-4550 | Link engine starter batteries to house batteries. Operated from Multifunction display at helm (Not to be ordered with option B5-5750) | 276 | Х | 276 |
| B5-4560 | Lithium ion house batteries in lieu of lead acid batteries - Includes 4 x 200Ah lithium ion batteries (LiFePO4), 100A charging capacity (2 x 50A IP43 Chargers), battery monitor & management system with colour display. (Only for boats with shore power or genset options) | 28 602 | | |
| B5-4600 | Recommend taking option B5-5750 along with this option. Not to be ordered with B5-4160/5 or Ventilation fans in cabins only for 3 cabin layout | 638 | | |
| B5-4601 | Ventilation fans in cabins only for 4 cabin layout | 823 | | |
| B5-5211 | Genset – Northern Lights 12kW supplied from port fuel tank. Fuel transfer ability from stbd to port tank. Only for boats with shore power pack | 48 844 | х | 48 844 |
| B5-5215 | Provision for genset (includes fuel supply, exhaust system with through hull fittings and cooling water system, but excludes genset unit, wiring, battery and genset control panel). Only for boats with shore power pack | 8 775 | | |
| B5-5256 | Chilled Water Air Conditioning (3 Cabin) - Frigomar 70000BTU/h BLDC chiller unit. 1 x 30000BTU/h and 3 x 5000BTU/h air handlers with 4 x digital control panels. Raw water and coolant circulation pumps. (Only for boats with shore power or genset options) | 44 625 | х | 44 625 |
| B5-5257 | Chilled Water Air Conditioning (4 Cabin) - Frigomar 70000BTU/h BLDC chiller unit. 1 x 30000BTU/h, 2 x 12000BTU/h air handlers with 5 x digital control panels. Raw water and coolant circulation pumps. (Only for boats with shore power or genset options) | 44 882 | | |
| B5-5260 | Provision for air conditioning (3 cabin). Includes ducting, vents, raw water hoses with thru hull fittings & strainer. Excludes chiller unit, pumps, air handlers, controllers & chilled water piping. | 4 014 | | |
| B5-5265 | Provision for air conditioning (4 cabin). Includes ducting, vents, raw water hoses with thru hull fittings & strainer. Excludes chiller unit, pumps, air handlers, controllers & chilled water piping | 4 014 | | |
| B5-5615 | Motorized TV lift in saloon – For TVs no larger than 40 inches (Requires B5-4320 or B5-4325 for AC power requirements) | 2 686 | | |
| B5-5616 | Motorized TV lift in saloon – For TVs between 40 to 50 inches (Requires B5-4320 or B5-4325 for AC power requirements) | 2 930 | х | 2 930 |
| B5-5680 | Provision for TV in owner's cabin (3-cabin layout only) - swing bracket & AC outlet (Requires B5-4320 or B5-4325 for AC power requirements) | 624 | х | 624 |
| B5-5684 | Provision for TV in all cabins (4-cabin layout only) - swing bracket & AC outlet (Requires B5-4320 or B5-4325 for AC power requirements) | 2 487 | | |
| B5-5685 | Provision for TV in all cabins (3-cabin layout only) - swing bracket & AC outlet (Requires B5-4320 or B5-4325 for AC power requirements) | 1 863 | | |
| B5-5725 B5-5730 | Solar panels 150w each fitted to hard top - (2) Solar panels 150w each fitted to hard top - (4) | 5 432 10 153 | - | |
| B5-5735 | Solar panels 150w each fitted to hard top - (4) Solar panels 150w each fitted to hard top - (6) | 14 161 | | |
| B5-5740 | Solar panels 150w each fitted to hard top - (8) | 18 882 | | |
| B5-5750 | Sterling alternator to battery charger. Includes button on MFD at helm to link engine batteries to house batteries (Not to be ordered with option B5-4550) | 2 473 | | |
| B5-5800 | Underwater Lights - 2 x Blue mounted in stern | 5 350 | | |
| B5-6150 | PLUMBING Electric fresh water flushing toilets: Sanimarin in lieu of electric salt water flushing toilets for 3 | 0 | х | 0 |
| B5-6151 | cabin lavout Electric fresh water flushing toilets: Sanimarin in lieu of electric salt water flushing toilets for 4 | 0 | | |
| B5-6410 B5-6500 | cabin lavout 11 Gal Water Heaters in lieu of 6 Gal Water Heaters - (2) 220V Watermaker: Spectra Newport 400 (12 volt), 63 ltr/17 USgal per hr; incl MPC-3000 controller | 390 29 688 | х | 390 |
| B5-6510 | system Watermaker: Spectra Newport 400 (12 volt), 63 ltr/17 USgal per hr; incl MPC-3000 controller system plus optional Z-ION membrane protection system | 32 943 | | |
| B5-6515 B5-6560 | Sea water inlet seacock with hose led above the waterline (for future watermaker installation) Watermaker: Sea Recovery 117 ltr/31 Usgal per hr, 220v (Can only be taken with Genset or | 298 23 093 | х | 23 093 |
| B5-6600 | Shore Power Options) Washer/dryer (110V) installed in Port corridor. Must be taken with: 110V inverter (B5-4320) and | 4 277 | | |
| B5-6610 | Batterv Charger (B5-4160) Washer/dryer (220V) installed in Port corridor. Must be taken with: 220V inverter (B5-4325) and | 4 277 | х | 4 277 |
| | Battery Charger (B5-4160) | 1211 | ** | . 2.1 |

| B5-6700 | 110V Dishwasher in Galley (Requires B5-4320) | 3 212 | | |
|--------------|--|-----------|----------------|----------|
| B5-6710 | 220V Dishwasher in Galley (Requires B5-4325) | 4 282 | Х | 4 282 |
| B5-6800 | Deck wash fitting & pump - triple wash - dual fresh/salt water system on foredeck and fresh | 1 370 | Х | 1 370 |
| | water outlets on flybridge and in aft cockpit | | | |
| B5-6850 | Stern shower: Hot/cold water in lieu of cold only | 393 | Х | 393 |
| | | - | | |
| | HEATING, REFRIGERATION & GAS | l | | |
| B5-7711 | Refrigerator in Flybridge Wetbar - 12V | 2 569 | х | 2 569 |
| B5-7715 | Two plate electric induction cooktop (110V) in lieu of 4-burner LPG cooktop and complete LPG | 0 | | |
| | system. Only for boats with Inverter option (B5-4320). Additional battery charger option must be | | | |
| | taken (B5-4165) | | | |
| B5-7731 | Electric Grill: 220V on Flybridge Wetbar. (Can only be taken with Genset or Shore Power | 3 854 | х | 3 854 |
| B5-7740 | Wine cooler (110V) in galley (Can only be taken with option B5-4320. Not to be ordered with B5- | 7 780 | ^ | 3 004 |
| D3-1140 | | 7 700 | | |
| | 7741/55/56/58/60) | | | |
| B5-7741 | Wine cooler (220V) in galley (Can only be taken with option B5-4325. Not to be ordered with B5- | 7 320 | | |
| | 7740/55/56/58/60) | | | |
| B5-7752 | Icemaker (110V) installed in flybridge wetbar. (Can only be taken with option B5-4320) Not to be | 3 641 | | |
| | taken with option B5-7753 | | | |
| B5-7753 | Icemaker (220V) installed in flybridge wetbar. (Can only be taken with option B5-4325). Not to be | 3 641 | х | 3 641 |
| | ordered with option B5-7752 | | ^ | 00 |
| B5-7755 | Icemaker (110V) installed in galley. (Can only be taken with option B5-4320. Not to be ordered | 3 641 | | |
| D3-1133 | | 3 041 | | |
| DE 7750 | with B5-7740/41/56/58/60) | 2.211 | | |
| B5-7756 | Icemaker (220V) installed in galley. (Can only be taken with option B5-4325. Not to be ordered | 3 641 | | |
| | with B5-7740/41/55/58/60) | | | |
| B5-7758 | Additional refrigerator (12V) installed in galley. (Not to be ordered with B5-7740/41/55/56/60) | 3 248 | Х | 3 248 |
| B5-7760 | Additional freezer (12V) installed in galley. (Not to be ordered with B5-7740/41/55/56/58) | 3 248 | | |
| | | | | |
| | DECK & HULL | l | | |
| B5-8001 | Exterior Pack 1 – Standard Charcoal (Grey) | 0 | х | 0 |
| B5-8001 | Flybridge enclosure front and sides only with aft sunshade curtain | 14 765 | X | 14 765 |
| B5-8120 | Aft cockpit back shade curtains only | 1 967 | ^ | 14 / 03 |
| | | | - | 2 222 |
| B5-8315 | Foredeck lounging cushions with adjustable backrests in lieu of standard foredeck lounging | 2 266 | Х | 2 266 |
| | cushions | | | |
| B5-8360 | S/S Flag pole holder (2) | 555 | Х | 555 |
| B5 -8370 | S/S Rod holders (4) | 1 109 | Х | 1 109 |
| B5-8400 | S/S dive bottle rack - holds 4 bottles | 1 347 | | |
| B5-8410 | S/S dive bottle racks (2) - holds 8 bottles total | 2 395 | | |
| B5-8550 | Flybridge Stairway Hatch | 2 945 | | |
| B5-8630 | Winch type Lifting Platform with Folding Chocks | 70 232 | х | 70 232 |
| | | | ^ | 10 232 |
| B5-8635 | Winch type Lifting Platform with Fixed Chocks | 70 232 | - | |
| B5-8700 | Aft Coaming step Step Port & STBD | 1 027 | | |
| B5-8800 | Teak aft cockpit table in lieu of standard GRP table | 7 024 | Х | OFFERED |
| B5-8810 | Teak flybridge table in lieu of standard GRP table | 6 232 | Χ | OFFERED |
| B5-8820 | Large GRP aft cockpit table in lieu of standard GRP table with two additional folding teak chairs | 1 294 | | |
| B5-8830 | Large teak aft cockpit table in lieu of standard GRP table with two additional folding teak chairs | 8 934 | | |
| B5-8900 | Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fwd cockpit, | 34 622 | | |
| 20 0000 | flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5- | | | |
| | | | | |
| DE 0004 | 8635 | 0.4.000 | | |
| B5-8901 | Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, | 34 622 | | |
| | flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5- | | | |
| | 8635 | l | | |
| B5-8910 | Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fwd cockpit, | 38 083 | | |
| | flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5- | | | |
| | | l | | |
| DE 0044 | 8635 | 00.000 | | 00.000 |
| B5-8911 | Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, | 38 083 | Х | 38 083 |
| | flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5- | l | | |
| | 8635 | | | |
| | | • | | |
| | GENERAL EQUIPMENT | <u></u> | | |
| B5-9903 | 55lb (25kg) Delta anchor c/w 165ft (50m) chain | 2 036 | Х | 2 036 |
| B5-9905 | 55lb (25kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain | 3 191 | | |
| B5-9911 | 35lb (16kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp | 1 177 | | |
| B5-9914 | 230ft (70m) anchor chain in lieu of 165ft (50m) chain | 627 | х | 627 |
| B5-9915 | 330ft (100m) anchor chain in lieu of 165ft (50m) chain | 1 434 | ^ + | 021 |
| | | | , | EGO |
| B5-9918 | Anchor bridle, shackles and hook | 568 | Х | 568 |
| B5-9920 | Blue/white fenders (6), white mooring lines (4, 16mm x 10m), white spring lines (2, 16mm x | 1 070 | | |
| B5-9930 | Black fenders (6), black mooring lines (4, 16mm x 10m), black spring lines (2, 16mm x 15m) | 1 070 | Х | 1 070 |
| | | 1 | | |
| | COMMISSIONING & DELIVERY | | | |
| B5-9950 | Transport, documentation and commissioning package: includes anti-fouling paint, transport to | 26 105 | Х | 26 105 |
| | Cape Town harbor, launching, commissioning of equipment & sea trials, 3 days marina fees at | i l | | |
| | RCYC & CE certificate | i l | | |
| | USCG Safety Package including 8 man life raft, U-bolts and tie downs | 5 570 | | |
| | | | . | 6.400 |
| | CE Safety Package including 8 man life raft, U-bolts and tie downs | 6 463 | Х | 6 463 |
| | Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A | 6 063 | | |
| | Water Delivery * | 62 537 | | |
| | Post delivery commissioning | 14 138 | Х | 14 138 |
| | Freight Delivery * | 61 357 | Х | 61 357 |
| | Cannes + Genoa + Barcelona Boat Show DEMO 2024 | INCLUDED | Х | INCLUDED |
| | TV in main salon | INCLUDED | Х | INCLUDED |
| | | | | |
| | | INCLLIDED | x | INCLUDED |
| | TV in owner's Cabin | INCLUDED | Х | INCLUDED |
| | | INCLUDED | х | |
| | | INCLUDED | х | EURO |
| - | TV in owner's Cabin | INCLUDED | x | EURO |
| Total Option | TV in owner's Cabin | INCLUDED | x | |

| Total Obtions | 521 379 |
|-------------------------------|-----------|
| | |
| Total Purchase Price (ex-tax) | 1 720 379 |
| | |

Exceptional Rebate 387 880

Total Purchase Price after Rebate (ex-tax)

| Purchaser | Date |
|-----------|------|
| | |
| | |
| Durchage | Data |
| Purchaser | Date |
| | |
| | |
| | |
| Dealer | Date |

*In-water delivery requires electronics and safety equipment (including life-raft) - Freight is an estimation only and can be a combination of freighter + water delivery Prices, standard equipment and options are subject to change without notice - All Sales are subject to signed Purchase & Sales Agreement and Deposit Any modification to the Option List is to be mutually agreed in writing and may result in additional fees - Most recent signed Option List supersedes all previous versions Cape Town Deliveries require the Boat to leave South African waters within 90 days from the hand-over Date of the Boat from Robertson & Caine to the Dealer. Failure to do so will result in Buyer to pay an extra 3% of the selling price of the Boat plus South African VAT



MAIN SPECIFICATIONS

| Length overall Length overall (including Platform) Beam max | . 53'1" / 16.19m |
|---|--|
| Draft (half load) Bridgedeck Clearance (half load) Overall Height above Water Line, including Nav Light Pole (Half load) | . 2'7" / 0.79m |
| Saloon Living Area. | 259.2sqft / 24sqm |
| Displacement (Light ship) | |
| Fresh water capacity | . 562gal / 2130l |
| Engine Option. Maximum Speed in Light Ship Conditions in knots. Cruising Speed in Light Ship Conditions in knots. Maximum Range Speed in Full Load Conditions in knots. Maximum Range Speed (one engine) in Full Load Conditions in nautical miles. Range at Max Speed in nautical miles. Range at Cruising Speed in nautical miles. Maximum Range in nautical miles. Maximum Range (one engine) in nautical miles. | . 25 . 17,5 . 7,9 . 6,8 . 342 . 463 . 1330 |
| Engine Max Power Engine Number of Cylinders Note: Speed and range figures can vary depending on measurement conditions and fuel quality. | |

STANDARD BOAT EQUIPMENT LIST

Laminate finishes with solid wood trims Folding saloon table with two fixed legs Settee - L-shape Settee - two seater Wear resistant laminate flooring LED overhead lighting

Stowage space under stbd settee cushions

Front doorway access to foredeck

GALLEY

Staron galley worktop surfaces

Single lever mixer faucet with pull out sprayer

Single s/s sink

Dish and cutlery drying recess with drainage

Double door domestic fridge

4-burner hob

Convection microwave oven

Gas solenoid shut-off valve with control at switch panel & warning light at cooker

Gas detectors in each hull connected to alarm in saloon Gas cylinder regulator in dedicated LPG locker

Separate garbage bin locker

Stowage space in shelf lockers

Spice rack

4 x Galley drawers

2 x Pot storage drawer below oven

1 x Large overhead storage locker

Smoke detector / alarm

INTERNAL HELM

Internal Helm Console - Includes steering and engine controls

LED overhead lighting

Helm seat c/w backrest integrated with starboard sofa

CABINS x 4 (4 CABIN VERSION)

Laminate finishes

Queen size berth (2025mm x 1720mm or 80" x 68")

Bedside tables

Headboard

Hanging locker with lower shelf

LED overhead lighting

LED reading lamps

Overhead roller blinds for privacy

Large open shelves

Stowage drawers under bunk

Large hull window incorporating portlight and pleated blind

Transom windows with pleated blind (aft cabins only)

Carbon monoxide detector / alarm

Laminate finishes

Queen size berth (2025mm x 1720mm or 80" x 68")

Bedside tables

Headboard

Large double door wardrobe

Vanity table/desk with drawers under

Bookshelf with oddment stowage

Sliding entrance door with lock

LED reading lamps

Carbon monoxide detector / alarm

HEADS COMPARTMENTS x 4 (4 CABIN VERSION)

Washbasin with basin mixer and Staron top

Vanity locker with mirror

Towel hook and rail

Shower area c/w lever mixer and adjustable shower rose

Shower sump with automatic drainage

LED Overhead lighting

Overhead roller blinds for privacy

Electric sea water flush toilet

OWNER CABIN HEADS (3 CABIN VERSION)

Double washbasin with basin mixers and Staron top

Vanity locker with mirror

Towel hook and rail

Separate shower compartment with acrylic enclosure c/w lever mixer and adjustable shower

Shower sump with automatic drainage

LED Overhead lighting

Electric sea water flush toilet

ENGINE & CONTROLS

Double lever throttle / gearshift control

Sound deadening panels in engine room

- 2 x Engine room ventilation fans and ducting 2 x Yanmar 370HP diesel engines
- 2 x Propellers 4-blade fixed
- 2 x Fuel deck fillers
- 2 x Fuel filter / water separators
- 2 x Composite fuel tanks 562USgal / 2130Ltr total capacity
- 2 x Exhaust skin fittings (s/s)
- 2 x Exhaust water locks
- 2 x Cooling water inlet strainers
- 2 x Exhaust cooling water temperature sensors with audible alarms at helm
- 2 x Moisture eliminating grilles

DECK FITTINGS

Guard railing (s/s)

2 x Pushpits (s/s)

2 x Pulpit seats (port & stbd)

1600w vertical windlass 10mm gypsy c/w hand held remote

Anchor bow roller fitting for primary anchor

Anchor bow roller fitting for secondary anchor

Anchor chain stopper

1 x Chain locker

1 x Anchor/windlass locker

2 x Foredeck lockers

Gas cylinder locker

Sliding companionway door

Hardtop over aft cockpit

L-shaped settee in aft cockpit with cushions and bolster

Sunbed in aft cockpit with cushions and bolster

Table in aft cockpit

Swimming ladder

Acrylic smoke grey tinted windows

Hatches:

2 x Size 44 Flush Hatch over cabins

2 x Size 60 Flush Hatch on foredeck (vented)

Portlights:

10 x Size 1 in hull side and transom

Foredeck lounging area

c/w watertight saloon access door and

2 x fwd facing sun loungers

4 x Drinks holders in forward cockpit

2 x Drinks holders in aft cockpit

2 x Coachroof handrails (s/s)

2 x Aft hardtop grab handles (s/s)

1 x 330mm mooring cleat in anchor locker

10 x 300mm s/s mooring cleats

2 x Teak folding deck chairs

FLYBRIDGE

Helm station console

Staircase from aft cockpit to flybridge with LED courtesy lighting

U-shaped upholstered settee

Sunbed with mattress facing aft

Wetbar unit with sink and faucet and GRP worktop

Life raft locker

Stowage locker in wetbar

Central fixed cocktail table with drink holder recess Guard railing around aft section of flybridge (s/s)

Acrylic windscreen around fwd section of flybridge

Hardtop over flybridge

Hardtop supports

Overhead lighting

- 2 x Pop-up lights
- 3 x Drinks holders

ELECTRICAL INSTALLATION

LED Courtesy lights at stairways LED Bi-colour & stern navlights

- 12v DC switch panel
- 1 x 12v outlet sockets at helm station
- 2 x Double USB sockets at helm station
- 1 x Double USB socket in saloon
- 2 x Double USB sockets at nav desk
- 1 x Double USB socket in each cabin
- 4 x House batteries 180Ah deep cycle lead acid type
- 4 x Engine starter batteries 100Ah AGM type 1 x House battery isolator switch
- 2 x Engine starter battery isolator switches
- 2 x Alternators, standard with engines
- 1 x Electrical spares kit: fuses, relays, fuse holders
- 1 x Electric fog horn with control at helm station

Digital monitoring including

1 x Axiom 7" Multifunction Display at helm for digital systems monitoring

3000W 110V Inverter for convection microwave oven

1200W 220V Inverter for refrigerator

PLUMBING INSTALLATION

Hot and cold pressurized fresh water system consisting of:

- 2 x Water tanks, 185USgal / 700ltr total capacity with level reading and gauges
- 2 x Fresh water pressure pump with accumulator tank
- 2 x Hot water cylinders 12USgal / 46ltr total capacity

Transom shower (cold only)

4 x Automatic shower drain pumps (3 for 3-cabin layout)

Holding tanks, 45USgal / 170ltr total capacity

- 2 x Electric bilge pumps (keel sump) with float switches and alarm at switch panel
- 2 x Manual bilge pumps
- 2 x High water bilge float switches with alarm at switch panel
- 2 x Electric bilge pumps (engine room) with flat switch and warning light at switch panel Freshwater connection

Seagull IV-X-2B water purification system supplying refrigerator

RUDDER & STEERING SYSTEM

Balanced spade rudders in stainless steel Rudder stock in stainless steel Bearings with fibreglass rudder tube Hydraulic steering system Soft-grip steering wheel

NAVIGATION EQUIPMENT

Compass at helm position

GENERAL EQUIPMENT

6 x Fire extinguishers Automatic Extinguishing system for engine rooms Owner's Operating Manual CE Certification NMMA Certification