

## 2025 Base Price &amp; Option List

Purchaser				EURO	
English	STANDARD BOAT PER STANDARD BOAT EQUIPMENT LIST			220v	539 000
DESTINATION		St Raphael, South of France			
NUMBER OF CABINS		3			
INTERIOR			x		
B6-1001	Upholstery Pack 1 – Faux Leather “Milk”	0			
B6-1003	Upholstery Pack 2 – Faux Leather “Artesian”	0	x		0
B6-1005	Upholstery Pack 3 – Sunbrella “Pebble”	268			
B6-1006	Upholstery Pack 4 – Sunbrella “Stone”	268			
B6-1007	Upholstery Pack 5 – Sunbrella “Dune”	268			
B5-10MM	Upholstery Pack 6 - Silvertex "Macadamia"	268			
B6-1008	Carpets in cabins and corridors – 3 cabin layout. Excludes saloon and galley areas	3 473			
B6-1009	Carpets in cabins and corridors – 4 cabin layout. Excludes saloon and galley areas	3 473			
B6-1300	Full length mirrors for 4-Cabin Layout (4)	1 548			
B6-1301	Full length mirrors for 3-Cabin Layout (3)	1 160			
B6-1400	Safe with digital combination lock	475			
B6-1600	Interior saloon blinds - front & side windows	6 606			
B6-1760	Coffee table in lieu of saloon table and double bunk conversion	0			
ENGINES & DRIVE					
B6-2100	Engine Room Automated Fire Suppression System	3 396			
NAVIGATION & ELECTRONICS					
B6-3200	Marine Stereo. Includes Wifi and Bluetooth connectivity. Speakers in saloon (2) & aft cockpit (2). Wired remote control at helm station. - Note: Raymarine MFD’s (not included in option) & personal wireless devices (only if connected wirelessly to Raymarine MFD via the Raymarine APP) can control system	5 143	x		5 143
B6-3220	External foredeck speakers: 2 x speakers with wired remote and amplifier	1 448			
B6-3230	External speakers in coachroof lounge: 4 x speakers with wired remote and amplifier	1 448	x		1 448
B6-3304	Raymarine Base Pack: includes Raymarine VHF (Multizone with AIS receiver) at Nav desk & additional VHF handset at helm, p70 colour autopilot display and AXIOM12 Multifunction display in lieu of AXIOM7 Multifunction display at Helmstation. With wind transducer and retractable depth and	17 513	x		17 513
B6-3313	AXIOM12 Multifunction display at Nav station in saloon. (Requires Base Pack). Not to be ordered with B6-3346. (B6-3346 comes with an uparaded RV (Real Vision) AXIOM12 MFD which fulfils the i70 Display at Helmstation (Requires Base Pack)	5 890			
B6-3324	Autopilot Wireless remote smart controller at Nav station (Requires Base Pack)	1 160			
B6-3335	Digital Radar: includes digital solid state wireless 24nm 18" Radome scanner. c/w mast bracket and genoa protection. (Requires Base Pack)	1 488			
B6-3341	Quantum Doppler Radar: Includes digital solid state 24nm Radar with Collision Avoidance detection, c/w mast bracket and genoa protection (Requires Base Pack)	4 253			
B6-3342	RealVision 3D Fishfinder: Includes RV-300 Plastic Thru-Hull transducer and 1 x AXIOM12 RV Multifunction display at Nav station. (Requires Base Pack). Not to be ordered with B6-3313	7 072			
B6-3346	Rear-view Raymarine camera (1) (Requires base pack)	8 568			
B6-3370	Fwd facing Raymarine camera (1) with Augmented Reality function including AR200 GPS (Requires base pack)	1 098			
B6-3371	Raymarine Automatic Identification System with AIS Transceiver. (Requires Base Pack)	1 737			
B6-3381		3 095	x		3 095
ELECTRICAL					
B6-4100	110V Shore Power Pack: includes 2 heavy duty 50ft 30amp shore power lines with connection sockets on port and stbd. AC switch panel and AC outlets in cabins, saloon, galley and nav station.	9 708			
B6-4110	230V Shore Power Pack: Includes 2 x 16A port and 2 x 16A stbd shore power inlets with 2 x heavy duty 50ft shore powerlines. AC switch panel, HWC 230V conversion and AC outlets in cabins, saloon, galley and nav station.	9 708	x		9 708
B6-4130	Digital Switching (110V boats). Includes 2 x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems. Monitoring of all Batteries, all fluid levels, and critical Alarms. (Requires Base Pack). B6-3313 or B6-3346 must be taken with this option for internal screen	11 970			
B6-4140	Digital Switching (220V boats). Includes 2 x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems. Monitoring of all Batteries, all fluid levels, and critical Alarms. (Requires Base Pack). B6-3313 or B6-3346 must be taken with this option for internal screen	11 970			
B6-4150	Battery charger 60 Amp (not to be ordered if inverter/charger options B6-4300 or B6-4315 is chosen)	1 703			
B6-4200	Shaver outlets in heads, 110v with GFI protection for 4 cabin layout - (4) (Only for boats with 110v systems, option B6-4301)	1 294			
B6-4201	Shaver outlets in heads, 110v with GFI protection for 3 cabin layout - (3) (Only for boats with 110v systems, option B6-4301)	969			
B6-4210	Shaver outlets in heads, combination 230V/110V with transformer current protection for 4 cabin layout—(4) (Only for boats with 230V systems, option B6-4316)	1 603			
B6-4211	Shaver outlets in heads, combination 230V/110V with transformer current protection for 3 cabin layout - (3) (Only for boats with 230V systems, option B6-4316)	1 212			
B6-4301	Inverter/Battery Charger: 12V - 110V/3.0 kW inverter with 120A charge rate, including remote operation panel (only for boats with shore power or genset option) - recommended with option B6-4500 and B6-4515	5 025			
B6-4316	Inverter/Battery Charger: 12V - 230V/3.0kW inverter with 120A charge rate, including remote operation panel (only for boats with shore power or genset option) - recommended with option B6-4500 and B6-4515	5 800	x		5 800
B6-4500	Upgrade std Lead Acid house & engine batteries to AGM batteries	1 707	x		1 707
B6-4510	One additional AGM house battery (210 Ahr) - 3 Total. (Requires B6-4500)	1 102			
B6-4515	Two additional AGM house battery (210 Ahr) - 4 Total. (Requires B6-4500)	2 287	x		2 287

B6-4550	Link engine starter batteries to house batteries. Operated from Multifunction display at helm (Not to be ordered with option B6-5750)	251		
B6-4602	Ventilation fans in cabins only for 4 cabin layout (4)	745	x	745
B6-4603	Ventilation fans in cabins only for 3 cabin layout (3)	563		
B6-4900	Windlass "up" footswitch	281		
B6-5200	Genset - Northern Lights 6kW (60 Hz 110V) / 5kW (50Hz 230V) supplied from stbd fuel tank. Fuel transfer ability from port to stbd tank. Only for boats with shore power pack.	30 145		
B6-5210	Genset - Northern Lights 9kW (60 Hz 110V) / 7kW (50Hz 220V) supplied from stbd fuel tank, fuel transfer ability from port to stbd tank. Only for boats with shore power pack	37 693		
B6-5215	Provision for 6kW genset (includes fuel supply, ventilation blower, auxiliary fuel/water pumps, light, exhaust & cooling water systems with through hull fittings. Excludes genset unit & control panel, battery & AC wiring). Only for boats with shore power pack	7 166		
B6-5230	Provision for 9 kW genset (includes fuel supply, ventilation blower, auxiliary fuel/water pumps, light, exhaust & cooling water systems with through hull fittings. Excludes genset unit & control panel, battery & AC wiring). Only for boats with shore power pack.	7 166		
B6-5250	Airconditioning System - (2) 16 000 BTU 110V with sound enclosures, soft start technology and upgraded control panels.	24 095		
B6-5255	Airconditioning System - (2) 16 000 BTU 230V with sound enclosures, soft start technology and upgraded control panels.	24 095		
B6-5260	Provision for Air-conditioning System (2 x 16 000 BTU - 110V) - Includes ducting, air vents and cooling water system with through hull fittings, but excludes aircon units and controls (excludes wiring to pump, aircon and control locations)	7 817		
B6-5265	Provision for Air-conditioning System (2 x 16 000 BTU 230V) - Includes ducting, air vents and cooling water system with through hull fittings, but excludes aircon units and controls. (Excludes wiring to pump, aircon and control locations)	7 817		
B6-5420	Electric Sheet winch - (1) (in lieu of outboard primary winch)	2 845		
B6-5430	Electric Sheet winches - (2) (in lieu of std primary winches)	5 690	x	5 690
B6-5440	Electric Sheet winches - (3) (in lieu of std winches)	8 534		
B6-5670	Provision for TV in Saloon - swing bracket & AC outlet	563		
B6-5680	Provision for TV in owner's cabin (3-cabin layout only) - swing bracket & AC outlet	563		
B6-57MM	Microwave oven in galley (110V)	367		
B6-5700	Solar panels 100w each fitted to decklid - (2)	3 944		
B6-5710	Solar panels 100w each fitted to decklid - (4)	7 723		
B6-5750	Sterling alternator to battery charger. Includes button at helm to link engine batteries to house batteries. (Not to be ordered with option B6-4550)	2 202		
B6-58MM	Microwave oven in galley (230V)	367		
B6-5800	Underwater Lights - 2 x Blue mounted in stern	4 834		
B6-5850	Pop-up lights (2) at coachroof lounge	1 287		

#### PLUMBING

B6-6153	Electric flushing toilets: Sanimarin (seawater option) in lieu of standard toilets for 3-Cabin Layout - (3)	3 517		
B6-6154	Electric flushing toilets: Sanimarin (seawater option) in lieu of standard toilets for 4-Cabin Layout - (4)	4 671		
B6-6163	Electric flushing toilets: Sanimarin (freshwater option) in lieu of standard toilets for 3-Cabin Layout -	3 517		
B6-6164	Electric flushing toilets: Sanimarin (freshwater option) in lieu of standard toilets for 4-Cabin Layout -	4 671		
B6-6500	Watermaker: Spectra Newport 400 (12 volt), 63 ltr/17 USgal per hr; incl MPC-3000 controller system	28 995		
B6-6510	Watermaker: Spectra Newport 400 (12 volt), 63 ltr/17 USgal per hr; incl MPC-3000 controller system plus optional Z-Brane electronic water treatment system	29 758		
B6-6515	Sea water inlet seacock with hose led above the waterline (for future watermaker installation)	538	x	538
B6-6550	Watermaker: Sea Recovery 117 ltr/31 USgal per hr, 110v (Only for boats with 110v systems, option B6-4100/41MM)	24 161		
B6-6560	Watermaker: Sea Recovery 117 ltr/31 USgal per hr, 230v (Only for boats with 230v systems, option B6-4110/42MM)	24 161		
B6-6600	Washer/dryer (110V) installed in owners heads - 3-Cabin Layout only. (Only for boats with 110v systems, option B6-4100/41MM)	3 863		
B6-6610	Washer/dryer (230V) installed in owners heads - 3-Cabin Layout only. (Only for boats with 230v systems, option B6-4110/42MM)	3 863		
B6-6700	110V Dishwasher in Galley (Only for boats with 110v systems, option B6-4100/41MM) . Cannot be taken with option B6-6710 or B6-7760	2 901		
B6-6710	230V Dishwasher in Galley (Only for boats with 230v systems, option B6-4110/42MM) . Cannot be taken with option B6-6700 or B6-7760	3 865	x	3 865
B6-6800	Deck wash fitting & pump - dual fresh/salt water system	1 171		
B6-6850	Stern shower: Hot/cold water in lieu of cold only	355	x	355

#### HEATING, REFRIGERATION & GAS

B6-7100	LPG gas outlet on stern rail for optional BBQ	672		
B6-7710	Refrigerator in aft cockpit 12v	2 320	x	2 320
B6-7755	Icemaker installed in galley 110V (Only for boats with 110v systems, option B6-4100/41MM). Not to be ordered with B6-7756/58/60	3 288		
B6-7756	Icemaker installed in galley 230V (Only for boats with 230v systems, option B6-4110/42MM). Not to be ordered with B6-7755/58/60	3 288		
B6-7758	Additional refrigerator installed in galley 12v. Not to be ordered with B6-7755/56/60	2 935		
B6-7760	Freezer installed in galley 12v. Not to be ordered with B6-6700/10 or B6-7755/56/58	2 935		

#### DECK & HULL

B6-8001	Exterior Pack 1 – Charcoal (Grey)	0	x	0
B6-8002	Exterior Pack 2 – Captain's Navy (Blue)	0		
B6-8115	Removable helmstation spray dodger	608		
B6-8120	Aft cockpit side and back shade curtains	2 182		
B6-8200	Shoe locker under helm platform. Not to be ordered with option B6-7710	1 022		
B6-8300	Aft Cockpit Cushions (Seats only without backrests) - Not to be ordered with B6-8301	4 896		
B6-8301	Aft Cockpit Cushions (Seats & backrests) - Not to be ordered with B6-8300	6 681	x	6 681
B6-8310	Helm seat cushion	771	x	771
B6-8315	Foredeck Cushions	3 880		
B6-8320	Coachroof lounge cushions (seats and backrests) and coachroof lounge table	6 529	x	6 529
B6-8500	Leather covered steering wheel	678		
B6-8505	Black powder coated steering wheel	466		
B6-8420	S/S dive bottle rack - holds 2 bottles	270		
B6-8600	Custom S/S davit system with tackle c/w electric winch	6 278	x	6 278

B6-8800	Teak aft cockpit table in lieu of standard GRP table	4 827		
B6-8900	Composite teak decking (Colour - Weathered with Black Caulking): aft cockpit, fwd cockpit, helm platform, transom steps and coachroof lounge)	17 524		
B6-8901	Composite teak decking (Colour - Weathered with White Caulking): aft cockpit, fwd cockpit, helm platform, transom steps and coachroof lounge)	17 524		
<b>SAILS &amp; RIGGING</b>				
B6-9100	Asymmetric spinnaker running rigging	1 171		
B6-9300	Standard 1.5oz Asymmetric spinnaker - as per exterior pack choice. Not to be taken with option B6-9600	5 573		
B6-9400	Boom Cover (stackpack) - as per exterior pack choice	2 116	x	2 116
B6-9500	Bowsprit c/w roller furler (incl. running rigging excl. sail/s)	7 791		
B6-9505	Code 0 (All round light weather sail - Sheeted inside or outside) - sail only, Not to be taken with option B6-9600	5 658		
B6-9510	Code D (Downwind light weather sail - Sheeted outside) - sail only Not to be taken with option B6-9600	7 411		
B6-9600	Shortened rig: mast height reduced to 63' above design waterline (half load) – modified genoa UV strip as per exterior pack choice	372		
B6-9700	Square Top mainsail with Karver Hook in lieu of std main	2 017		
B6-9710	Square Top mainsail with Karver Hook in lieu of standard main for shortened rig	2 017		
<b>PERFORMANCE OPTIONS</b>				
B6-2110	Flexofold folding prop upgrade in lieu of std fixed props (2)	7 347		
B6-9530	Upgraded Super-T lines including main halyard, genoa halyard, reef lines and code 0 halyard & furler control	3 888		
B6-9540	Upgraded Ultra X Dyneema Norlam high performance North Sails (square top main and genoa incl. Karver hook) in lieu of standard main sail and genoa – as per exterior pack. Must be taken with option B6-9530.	24 341		
B6-9550	Upgraded MaxiKote Stormlite high performance North Sails Code 0 sail (All round light weather sail – sheeted inside or outside) – sail only. Not to be taken with option B6-9600	7 369		
B6-9555	Upgraded MaxiKote Stormlite high performance North Sails Code D sail (Downwind light weather sail – sheeted outside) – sail only. Not to be taken with option B6-9600	9 300		
<b>GENERAL EQUIPMENT</b>				
B6-9903	55lb (25kg) Delta anchor c/w 165ft (50m) chain	1 837	x	1 837
B6-9905	55lb (25kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain	2 880		
B6-9911	35lb (16kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp	1 065		
B6-9914	230ft (70m) anchor chain in lieu of 165ft (50m) chain	568	x	568
B6-9915	330ft (100m) anchor chain in lieu of 165ft (50m) chain	1 294		
B6-9918	Anchor bridle, shackles and hook	378	x	378
B6-9920	Blue/white fenders (6), white mooring lines (4, 16mm x 10m), white spring lines (2, 16mm x 15m)	967		
B6-9930	Black fenders (6), black mooring lines (4, 16mm x 10m), black spring lines (2, 16mm x 15m)	967	x	967
<b>COMMISSIONING &amp; DELIVERY</b>				
B6-9950	Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching & stepping of mast, installation of sails & rigging, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate	17 699	x	17 699
B6-AUS1	Supply and fit only the Australian compliant hob and oven. Note: Does not include certification.	4 737		
	USCG Safety Package including 8 man life raft, U-bolts and tie downs	4 773		
	CE Safety Package including 8 man life raft, U-bolts and tie downs	5 539	x	5 539
	Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A Waterfront	4 482		
	Water Delivery *	38 938		
	Post delivery commissioning	8 805	x	8 805
	Freight Delivery *	37 758	x	37 758

**EURO**

<b>Total Options</b>	<b>156 140</b>
----------------------	----------------

<b>Total Purchase Price (ex-tax)</b>	<b>695 140</b>
--------------------------------------	----------------

<b>Exceptional Rebate</b>	<b>70 973</b>
---------------------------	---------------

<b>Total Purchase Price after Rebate (ex-tax)</b>	<b>624 167</b>
---	----------------

<b>Total Purchase Price including Tax</b>	<b>749 000</b>
---	----------------

Purchaser	Date
-----------	------

Purchaser	Date
-----------	------

Dealer	Date
--------	------

\*In-water delivery requires electronics and safety equipment (including life-raft) - Freight is an estimation only and can be a combination of freighter + water delivery  
Prices, standard equipment and options are subject to change without notice - All Sales are subject to signed Purchase & Sales Agreement and Deposit  
Any modification to the Option List is to be mutually agreed in writing and may result in additional fees - Most recent signed Option List supersedes all previous versions  
Cape Town Deliveries require the Boat to leave South African waters within 90 days from the hand-over Date of the Boat from Robertson & Caine to the Dealer.  
Failure to do so will result in Buyer to pay an extra 3% of the selling price of the Boat plus South African VAT

## MAIN SPECIFICATIONS

Length overall.....	41'7" / 12.67m
Length waterline.....	40'10" / 12.44m
Beam max.....	23'1" / 7.04m
Draft (half load).....	4'7" / 1.40m
Bridgedeck Clearance (half load).....	2'6" / 0.75m
Mast Height (half load).....	67'10" / 20.68m
Saloon Living Area.....	162sqft / 15sqm
Displacement (Light ship).....	30,183lbs / 13,691kg
Load carrying capacity.....	11,156lbs / 5,015kg
Main sail area (standard).....	717sqft / 66.6sqm
Genoa Area.....	501sqft / 46.5sqm
Total upwind area (standard).....	1,217sqft / 113.1sqm
Code 0 area.....	676sqft / 62.8 sqm
Code D area.....	1022sqft / 94.9sqm
Fresh water capacity.....	174gal / 660l
Fuel capacity.....	158gal / 600l
Holding tank capacity.....	32gal / 120l (3 cabins) or 44gal / 16

## STANDARD BOAT EQUIPMENT LIST

### SALOON

Laminate finish with solid wood trims  
Wear resistant simulated wood flooring  
Saloon table - convertible to double bunk c/w mattress  
LED overhead lighting  
Concealed overhead rope lighting  
Overhead window with blind  
Ventilation through forward facing portlights  
Stowage space under settee cushions  
Forward doorway access to foredeck  
Access to aft cockpit through sliding door/window  
2 x Loose Ottoman stools to be used as:  
Chart table seat  
Settee seating

### GALLEY

Solid surface acrylic worktops  
Single lever mixer faucet with pull-out sprayer  
Single bowl s/s sink  
Dish and cutlery drying recess with drainage  
Cover for drying recess  
Vitrifrigo 2-drawer fridge/freezer 56USgal / 212Ltr 12v  
ENO 3-burner gas hob  
ENO gas oven  
Gas solenoid shut-off valve with control at switch panel & warning light at cooker  
Gas cylinder regulator in dedicated cockpit LPG locker  
Separate garbage bin locker  
Stowage space in shelf lockers  
Stowage space under floorboards  
Pot drawer under oven  
3 x Drawers alongside oven  
Outboard galley shelf  
Microwave locker

### CABINS x 4 (4 CABIN VERSION)

Laminate finish with solid wood trims  
Wear resistant laminate flooring  
Double berths:  
Forward Bunks (1.5m x 2.14m or 4'11" x 7'0")  
Aft Bunks (1.57m x 2.04m or 5'2" x 6'8")  
Hanging locker with lower shelf  
LED overhead lighting  
2 x LED reading lamps in each cabin  
Concealed overhead rope lighting  
Concealed under bunk rope lighting  
Overhead roller blinds for privacy  
Large open shelves  
2 x Stowage drawers under each bunk  
Large hull window incorporating portlight and pleated blind

Transom portlight in aft cabins

#### **OWNER CABIN (3 CABIN VERSION)**

Laminate finish with solid wood trims  
Wear resistant laminate flooring  
Double berth (1.57m x 2.04m or 5'2" x 6'8")  
1 x Full height hanging locker  
1 x Full height shelf locker  
Vanity table/desk with storage locker under lid  
Fold up vanity mirror  
Drawer unit with 3 x drawers  
2 x Stowage drawers under bunk  
Sliding entrance door with lock  
LED overhead lighting  
Concealed overhead rope lighting  
Concealed under bunk rope lighting  
2 x LED reading lamps over bunk

#### **NAVIGATION CONSOLE**

Chart table with storage locker under hinged lid  
LED overhead lighting  
Backrest s/s railing

#### **HEADS COMPARTMENTS x 4 (4 CABIN VERSION)**

Washbasins with basin mixer and solid surface acrylic top  
Under-basin locker with toilet roll holder  
Vanity locker with mirror  
Double towel rail and ring  
Sliding heads door  
Coat hook on door  
Dedicated trashcan locker  
Shower compartment c/w lever mixer and adjustable shower rose  
Shower sump with automatic drainage system  
LED Overhead lighting  
Overhead roller blinds for privacy  
Large bowl manual toilet

#### **OWNER CABIN HEADS (3 CABIN VERSION)**

Large washbasin with basin mixer and solid surface acrylic top  
Under-basin locker with toilet roll holder  
Separate shower compartment with divider c/w lever mixer and adjustable drainage system  
Shower sump with automatic drainage system  
Large bowl manual toilet  
Double towel rail, hook and ring  
Vanity Locker with mirror  
Dedicated trashcan locker  
Large linen locker (can house optional washing machine)  
Sliding heads door  
Overhead roller blind for privacy  
LED Overhead lighting

#### **DECK FITTINGS**

Guardwires with stanchions, bases, port & starboard side gates  
Guardwires across bow and stern  
1600w vertical windlass 10mm gypsy and capstan c/w hand-held remote  
Anchor bow roller fitting  
Anchor chain stopper  
Liferaft locker with convertible fore/aft seat bolster  
Sliding companionway door/window  
Hardtop over cockpit complete with LED lighting  
Hardtop over helm with supports and LED light  
Forward window brow complete with LED lighting  
Side window brows  
Folding swimming ladder c/w teak steps  
Emergency ladder mounted on port transom  
Cockpit table  
Bridle mainsheet system (3:1 purchase)  
Trampoline  
Helmseat with upholstered backrest  
Acrylic smoke grey tinted windows  
Hardtop supports  
Hatches:  
Size 10 Flush Hatch: 4-Cabin Layout has 4x over heads.  
Size 10 Flush Hatch: 3-Cabin Layout has 2x over port heads, 2x over study.  
Size 44 Flush Hatch: 4-Cabin Layout has 4x over cabins and 2x over forepeaks.  
Size 44 Flush Hatch: 3-Cabin Layout has 3x over cabins, 1x over owner's heads and 2x over forepeaks.  
Portlights:  
Size 5 Portlights: Both Layouts has 2x in windscreen  
Size 1 Portlight: 4-cabin Layout has 10x in hull side and transom  
Size 1 Portlight: 3-cabin Layout has 9x in hull side and transom  
1 x Anchor chain bin  
1 x Anchor/windlass locker  
2 x Foredeck locker  
Forward access to foredeck c/w watertight saloon access door  
2 x Pulpits with seat  
2 x Pushpits  
2 x Coachroof handrails  
1 x Coachroof Steps handrail  
2 x Hardtop grab handles  
2 x Transom grab handles

9 x 310mm mooring cleats  
2 x Winch handles  
2 x Primary winches - (black anodised alloy)  
1 x Main sheet winch (black anodised alloy)  
2 x genoa cars with pin stop  
2 x genoa tracks  
2 x Halyard clutch at helm (main & gennaker)  
2 x Genoa sheet clutch at helm  
2 x Mainsheet clutch at helm  
2 x Reef clutch at helm  
1 x Furler clutch at helm  
1 x Genoa Halyard Clutch and cleat on mast  
Drinks holders  
2 on forward Coamings  
2 at helm  
Rope bag at helm (comes with winch handle pocket sewn in)

#### **COACHROOF LOUNGE**

L-shaped GRP settee (optional seat cushions, backrest and table)

#### **ENGINE & CONTROLS**

Double lever throttle / gearshift control  
Sound deadening panels in engine room  
2 x Engine room ventilation fans and ducting  
2 x Yanmar 45hp diesel engines with sail drives  
2 x Propellers - fixed blade  
2 x Fuel deck fillers  
2 x Fuel filter / water separators  
2 x Fuel tanks 160USgal / 600Ltr total capacity  
2 x Exhaust skin fittings (s/s)  
2 x Exhaust water locks  
2 x Cooling water inlet strainers  
2 x Exhaust cooling water temperature sensors with audible alarms at helm

#### **ELECTRICAL INSTALLATION**

Digital monitoring with 7" Multi-function Display  
LED Courtesy lights at stairways  
Bi-colour & stern navlights  
12v DC switch panel  
12v Outlet plug at helm station  
USB Outlet at helm station  
1 x Double USB socket at saloon cave locker  
2 x Double USB socket at Nav station  
1 x Double USB socket in each cabin  
1 x Wireless mobile phone charger at nav desk  
2 x House batteries - 210Ah deep cycle lead acid type  
2 x Engine starter batteries - 100Ah lead acid type  
1 x House battery isolator switch  
2 x Engine starter battery isolator switches  
2 x Alternators, standard with engines  
1 x Electrical spares kit: fuses, relays, fuse holders

#### **PLUMBING INSTALLATION**

Hot and cold pressurized fresh water system consisting of:  
2 x Water tanks, 174USgal / 660ltr total capacity  
1 x fresh water pressure pump with accumulator tank  
2 x Hot water cylinders 12USgal / 46ltr total capacity  
Transom shower (cold only)  
4 x Automatic shower drain pumps  
2 x Holding tanks,  
32USgal / 120ltr total capacity (3 cabin)  
or 40USgal / 150ltr total capacity (4 cabin)  
2 x Electric bilge pumps (keel sump) with float switches and alarm at switch panel  
2 x Manual bilge pumps (keel sump)  
2 x High bilge float switches with alarm at switch panel  
2 x Electric bilge pumps (engine room) with float switch and warning light at switch panel  
Freshwater connection  
Water purifying filter system (Purifying water tap located at galley)

#### **NAVIGATION EQUIPMENT**

Compass at helm position

#### **RUDDER & STEERING SYSTEM**

Balanced spade rudders  
Rudder stock in 17-4 PH stainless steel  
Self aligning bearings  
Chain-and-wire steering system c/w bulkhead steering unit and brake  
Destroyer-type steering wheel  
Emergency tiller (s/s)

#### **RUNNING RIGGING**

2 x Main sheets (3:1 purchase)  
2 x Genoa sheets  
3 x Halyards (main, genoa & spare)  
2 x Single line reefs lead aft  
Main boom topping lift

#### **MAST, RIGGING & SAILS**

Natural anodized mast

Natural anodized crossbeam c/w mooring cleats  
Wind indicator  
Genoa furler  
Mainsail full battened c/w 2 rows reefs  
Furling genoa  
2 x Additional spare 12v wires in mast  
Additional spare conduit with messenger in mast

**GENERAL EQUIPMENT**

6 x Fire extinguishers(3C) and 7 x Fire extinguishers(4)  
Owner's Operating Manual  
CE Certification  
NMMA Certification